

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVOSTIK SERIOUS GLUE Supercedes Date: 17-Nov-2021

Revision date 20-Feb-2023 Revision Number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	1.1.	Product	identifier	
--	------	---------	------------	--

Product Name EVOSTIK SERIOUS GLUE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

<u>Company Name</u> Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom

Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains Trimethoxyvinylsilane. May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

EVOSTIK SERIOUS GLUE

Supercedes Date: 17-Nov-2021

P102 - Keep out of reach of children

2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Silanamine, 1,1,1-trimethyl-N-(trimet hylsilyl)-, hydrolysis products with silica	(014-052-00- 7) 272-697-1	68909-20-6	5 - <10	STOT RE 2 (H373) [K]	-	-
3,3'-[Methylenebis(oxym ethylene)]bisheptane	244-815-1	22174-70-5	5 - <10	Aquatic Chronic 4 (H413)	-	01-2119969504- 29-XXXX
Trimethoxyvinylsilane	(014-049-00- 0) 220-449-8	2768-02-7	1 - <3	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	01-2119513215- 52-XXXX
Dioctyltin oxide	212-791-1	870-08-6	1 - <2.5	STOT SE 2 (H371)	-	01-2119971268- 27-xxxx
Ethyl silicate	(014-005-00- 0) 201-083-8	78-10-4	0.1- <1	Acute Tox. 4 (H332) Eye Irrit. 2 (H319) STOT SE 3 (H335) Flam. Liq. 3 (H226)	-	01-2119496195- 28-xxxx

<u>Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes</u> [K] Nanomaterial

Full text of H- and EUH-phrases: see section 16

Air contaminants formed when using the substance or mixture as intended

Chemical name	EC No (EU	Weight-%	Classification	Specific	M-Factor	M-Factor	REACH
	Index No)	-	according to	concentration limit		(long-ter	registration
			Regulation (EC) No.	(SCL)		m)	number
			1272/2008 [CLP]				
Methyl alcohol	(603-001-00	1 - <2.5	Acute Tox. 3 (H301)	STOT SE 1 ::	-	-	01-211943330

EVOSTIK SERIOUS GLUE

Supercedes Date: 17-Nov-2021

67-56-1	-X)	Acute Tox. 3 (H311)	C>=10%		7-44-XXXX
	200-659-6	Acute Tox. 3 (H331)	STOT SE 2 ::		
		STOT SE 1 (H370)	3%<=C<10%		
		Flam. Liq. 2 (H225)			

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.		
Inhalation	Remove to fresh air. If symptoms persist, call a doctor.		
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.		
Ingestion	Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Small amounts of toxic methanol are released by hydrolysis.		
4.2. Most important symptoms and	d effects, both acute and delayed		
Symptoms	None known.		
4.3. Indication of any immediate m	edical attention and special treatment needed		
Note to doctors	Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.		
	nyuroiysis and released upon cunity.		
SECTION 5: Firefighting me			
SECTION 5: Firefighting me			
5.1. Extinguishing media	asures		
5.1. Extinguishing media Suitable Extinguishing Media	asures Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Full water jet.		
5.1. Extinguishing media Suitable Extinguishing Media Unsuitable extinguishing media	asures Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Full water jet. he substance or mixture		
5.1. Extinguishing media Suitable Extinguishing Media Unsuitable extinguishing media 5.2. Special hazards arising from the	asures Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Full water jet. he substance or mixture		
5.1. Extinguishing media Suitable Extinguishing Media Unsuitable extinguishing media 5.2. Special hazards arising from the Specific hazards arising from the chemical	asures Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Full water jet. he substance or mixture Thermal decomposition can lead to release of irritating gases and vapours. Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon		

SECTION 6: Accidental release measures

6.1. Personal precautions, protect	ive equipment and emergency procedures
Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.
6.3. Methods and material for cont	ainment and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handling	_
Advice on safe handling	Ensure adequate ventilation.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.
7.2. Conditions for safe storage, ir	<u>icluding any incompatibilities</u>
Storage Conditions	Protect from moisture. Keep away from food, drink and animal feedingstuffs. Keep from freezing.
Recommended storage temperature	Keep at temperatures between 10 and 35 °C. Do not freeze.
7.3. Specific end use(s)	
Specific use(s) Adhesives and/or sealants.	
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.
Other information	Observe technical data sheet.
SECTION 8: Exposure contr	ols/personal protection
8.1. Control parameters	

Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Chemical name	European Union	United Kingdom
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m ³	TWA: 266 mg/m ³
	*	STEL: 250 ppm

EVOSTIK SERIOUS GLUE

		STEL: 333 mg/m ³
		Sk*
Dioctyltin oxide	-	TWA: 0.1 mg/m ³
870-08-6		STEL: 0.2 mg/m ³
		Sk*
Ethyl silicate	TWA: 44 mg/m ³	TWA: 5 ppm
78-10-4	TWA: 5 ppm	TWA: 44 mg/m ³
		STEL: 15 ppm
		STEL: 132 mg/m ³

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)						
Trimethoxyvinylsilane (2768-02-7	Trimethoxyvinylsilane (2768-02-7)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Systemic health effects Long term	Inhalation	27,6 mg/m³				
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d				

Dioctyltin oxide (870-08-6)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Dermal	0.05 mg/kg bw/d	
worker Long term Systemic health effects	Inhalation	0.004 mg/m³	

Ethyl silicate (78-10-4)	Ethyl silicate (78-10-4)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor			
worker Short term Systemic health effects	Dermal	12.1 mg/kg bw/d				
worker Systemic health effects Long term	Dermal	12.1 mg/kg bw/d				
worker Short term Systemic health effects	Inhalation	85 mg/m³				
worker Short term Local health effects	Inhalation	85 mg/m³				
worker Long term Systemic health effects	Inhalation	85 mg/m³				
worker Long term Local health effects	Inhalation	85 mg/m³				

Derived No Effect Level	(DNEL)
-------------------------	--------

EVOSTIK SERIOUS GLUE Supercedes Date: 17-Nov-2021

Trimethoxyvinylsilane (2768-02-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m ³	
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d	
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d	

Dioctyltin oxide (870-08-6)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	0.0005 mg/kg bw/d	
Consumer Long term Systemic health effects	Dermal	0.025 mg/kg bw/d	
Consumer Long term Systemic health effects	Inhalation	0.0009 mg/m³	

Ethyl silicate (78-10-4)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Short term Systemic health effects	Dermal	8.4 mg/kg bw/d	
Consumer Long term Systemic health effects	Dermal	8.4 mg/kg bw/d	
Consumer Short term Systemic health effects	Inhalation	25 mg/m³	
Consumer Short term Local health effects	Inhalation	25 mg/m³	
Consumer Long term Systemic health effects	Inhalation	25 mg/m³	
Consumer Long term Local health effects	Inhalation	25 mg/m³	

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
Trimethoxyvinylsilane (2768-02-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l
Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l

Dioctyltin oxide (870-08-6)	
Environmental compartment	Predicted No Effect Concentration (PNEC)

EVOSTIK SERIOUS GLUE

Supercedes Date: 17-Nov-2021

Freshwater sediment	0.02798 mg/kg dry weight	
Marine sediment	0.002798 mg/kg dry weight	
Microorganisms in sewage treatment	100 mg/l	
Microorganisms in sewage treatment	100 mg/l	

Ethyl silicate (78-10-4)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.192 mg/l
Marine water	0.0192 mg/l
Freshwater sediment	0.18 mg/kg dry weight
Marine sediment	0.018 mg/kg dry weight
Soil	0.05 mg/kg

8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.
Hand protection	Wear suitable gloves. Recommended Use:. Neoprene [™] . Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374
Skin and body protection	None under normal use conditions.
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation, especially in confined areas.
Recommended filter type:	Organic gases and vapours filter conforming to EN 14387. White. Brown.
Environmental expessive controls	Do not allow uncontrolled discharge of product into the apvironment

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

...

9.1. Information on basic physical	and chemical properties	
Physical state	Liquid	
Appearance	Liquid	
Colour	Colourless	
Odour	No information available.	
Odour threshold	No information available	
Property	Values	Remarks • Method
Melting point / freezing point	No data available	None known
Initial boiling point and boiling	No data available	None known
range		
Flammability	Not applicable for liquids .	
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	> 100 °C	CC (closed cup)
Autoignition temperature	No data available	None known
Decomposition temperature		None known
рН	No data available	None known.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	
Water solubility	Insoluble in water.	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known

EVOSTIK SERIOUS GLUE Supercedes Date: 17-Nov-2021

Relative density	1	
Bulk Density	No data available	
Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information Solid content (%) VOC content	No information available	No data available
9.2.1. Information with regards to Not applicable	physical hazard classes	
9.2.2 Other safety characteristics		

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and re	eactivity	
10.1. Reactivity		
Reactivity	Product cures with moisture.	
10.2. Chemical stability		
Stability	Stable under normal conditions.	
Explosion data		
Sensitivity to mechanical	None.	
impact Sensitivity to static discharge	None.	
10.3. Possibility of hazardous reac	tions	
Possibility of hazardous reactions	None under normal processing.	
10.4. Conditions to avoid		
Conditions to avoid	Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.	
10.5. Incompatible materials		
Incompatible materials	None known based on information supplied.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.	
SECTION 11: Toxicological i	nformation	
11.1. Information on hazard class	es as defined in Regulation (EC) No 1272/2008	

Information on likely routes of exposure

Product Information

Inhalation

Based on available data, the classification criteria are not met.

Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met. May cause sensitisation in susceptible persons.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	No information available.
Acute toxicity	

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	7,192.70 mg/kg
ATEmix (dermal)	6,071.50 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-dust/mist)	99,999.00 mg/l
ATEmix (inhalation-vapour)	570.30 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Silanamine,	LD50 >5000 mg/kg (Rattus)	-	-
1,1,1-trimethyl-N-(trimethylsilyl)			
-, hydrolysis products with silica			
3,3'-[Methylenebis(oxymethyle	-	> 2000 mg/kg (Rat)	-
ne)]bisheptane			
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
Dioctyltin oxide	=2500 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-
		OECD 402	
Ethyl silicate	LD50 > 2500 mg/kg (Rattus)	= 5878 mg/kg (Oryctolagus	= 10 mg/L (Rat male) 4 h
	OECD 423	cuniculus) = 6300 µL/kg	> 16.8 mg/L (Rat female) 4 h
		(Oryctolagus cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant	

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	еуе		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No Respiratory or skin sensitisation

classification is proposed, based on conclusive negative data. May cause sensitisation in

EVOSTIK SERIOUS GLUE

	susceptibl	le persons.			
Method		Species	Exposure ro	oute	Results
OECD Test No. 406: Skin Sensitisation		Suinea pig	Dermal		No sensitisation responses were observed
Trimethoxyvinylsilane (2768-02-7)					
Method	Species		Exposure route		Results
OECD Test No. 406: Skin Sensitisation, Buehler test	Guinea pig		Dermal		sensitising
Germ cell mutagenicity	Based on	available data	, the classification criter	ia are not	met.
Component Information Trimethoxyvinylsilane (2768-02-7)					
Method		Species		Results	
OECD Test No. 471: Bacterial Revo Mutation Test	erse	in vitro		Not mut	agenic
Carcinogenicity	Based on	available data	, the classification criter	ia are not	met.
Reproductive toxicity	Based on	available data	, the classification criter	ia are not	met.
Trimethoxyvinylsilane (2768-02-7)				_	
Method		Species		Results	

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable
Toxicity Study with the		
Reproduction/Developmental Toxicity Screening		
Test		

STOT - single exposure

Based on available data, the classification criteria are not met.

Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Oral	5 mg/kg	28 days	0.3 - 0.5 mg/kg
Combined Repeated Dose					bw/d May cause
Toxicity Study with the					damage to the
Reproduction/Developme					following organs:
ntal Toxicity Screening					Immune system
Test					

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation				-	
Toxicity: 90-day Study					

Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rat Rabbit			28 days	0.3 -0.5 mg/kg bw/d

EVOSTIK SERIOUS GLUE

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No information available. **Endocrine disrupting properties**

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Silanamine, 1,1,1-trimethyl-N-(trime thylsilyl)-, hydrolysis products with silica <u>68909-20-6</u> Trimethoxyvinylsilane 2768-02-7	-	LC50 (96h) >1000 mg/L (Brachydanio rerio) (OECD 203) LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)	-	LC50 (48h) >100 mg/L Daphnia magna EC50(48hr) 168.7mg/l (Daphnia magna)		
Dioctyltin oxide 870-08-6	EC50 (3hr) >1.000 mg/l (bacteria) (Activated Sludge, Respiration Inhibition Test)	LC50 (96hr) >0,09 mg/l (Brachydanio rerio (zebra)) (Acute Toxicity Test)	-	EC50 (48Hr) >0,21 mg/l (Daphnia magna (Dappnia magna)) (Daphnia sp. Acute Immobilisation Test)		
Ethyl silicate 78-10-4	EC 50 (72h) > 100 mg/L (Pseudokirchner iella subcapitata) OECD 201		-	-		

12.2. Persistence and degradability

No information available. Persistence and degradability

Trimethoxyvinylsilane (2768-02-7)						
Method	Exposure time	Value	Results			
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily			
Biodegradability: Manometric			biodegradable			
Respirometry Test (TG 301 F)			-			

Dioctyltin oxide (870-08-6)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	755 hours	biodegradation	Not readily biodegradable 2
Biodegradability: Manometric		-	%

EVOSTIK SERIOUS GLUE

Respirometry Test (TG 301 F)		

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Trimethoxyvinylsilane	1.1
Dioctyltin oxide	6
Ethyl silicate	3.18

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
3,3'-[Methylenebis(oxymethylene)]bisheptane	The substance is not PBT / vPvB
Trimethoxyvinylsilane	The substance is not PBT / vPvB
Dioctyltin oxide	The substance is not PBT / vPvB
Ethyl silicate	The substance is not PBT / vPvB PBT assessment does
	not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
Waste codes / waste designations according to EWC	15 01 10*: Packaging containing residues of or contaminated by dangerous substances. 16 03 03* inorganic wastes containing hazardous substances. 16 05 05 gases in pressure containers other than those mentioned in 16 05 04. Waste codes should be assigned by the user based on the application for which the product was used.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note:

Keep from freezing.

EVOSTIK SERIOUS GLUE Supercedes Date: 17-Nov-2021

Land transport (ADR/RID) Not regulated 14.1 UN number or ID number 14.2 Proper Shipping Name Not regulated Not regulated 14.3 Transport hazard class(es) 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable 14.6 Special Provisions None IMDG 14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Marine pollutant NP 14.6 Special Provisions None Not applicable 14.7 Maritime transport in bulk according to IMO instruments Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

14.5 Environmental hazards

14.6 Special Provisions

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Not applicable

None

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Dioctyltin oxide	870-08-6	20.

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament

EVOSTIK SERIOUS GLUE Supercedes Date: 17-Nov-2021

and of the council concerning the export and import of dangerous chemicals

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex Number
Dioctyltin oxide	l.1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H371 May cause damage to organs
- H373 May cause damage to organs through prolonged or repeated exposure
- H413 May cause long lasting harmful effects to aquatic life

Legend

Logona	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data No information available

Prepared By

Product Safety & Regulatory Affairs

20-Feb-2023
SDS sections updated, 3.
When working with hazardous materials, regular training of operators is required by law
No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet