
## **AkzoNobel**



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878

## SAFETY DATA SHEET

#### **EXPANDING FOAM POLYFILLA**

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1 Product identifier

GHS product identifier : ▼EXPANDING FOAM POLYFILLA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product use : Aerosol.

1.3. Details of the supplier of the safety data sheet

ICI Paints AkzoNobel, Wexham Road,

Slough, Berkshire, SL2 5DS, U.K.

Tel.: +44 (0) 333 222 71 71

www.polycell.co.uk

e-mail address of person

responsible for this SDS

: polycell.advice@akzonobel.com

1.4 Emergency telephone number

**Telephone number** : Slough +44 (0) 1753 550000

Version : 5

Date of previous issue : 31-8-2020

#### SECTION 2: Hazards identification

## 2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Aerosol 1, H222, H229 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351

STOT SE 3, H335 STOT RE 2, H373

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements

#### **SECTION 2: Hazards identification**

#### Hazard pictograms









Signal word : Danger

**Hazard statements** : H222 - Extremely flammable aerosol.

H332 - Harmful if inhaled.

H319 - Causes serious eye irritation.

H315 - Causes skin irritation.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 - May cause an allergic skin reaction. H362 - May cause harm to breast-fed children.

H351 - Suspected of causing cancer. H335 - May cause respiratory irritation.

H373 - May cause damage to organs through prolonged or repeated exposure.

H413 - May cause long lasting harmful effects to aquatic life.

H229 - Pressurized container: may burst if heated.

#### **Precautionary statements**

**General**: P102 - Keep out of reach of children.

P101 - If medical advice is needed, have product container or label at hand.

P103 - Read label before use.

**Prevention**: P201 - Obtain special instructions before use.

P280 - Wear protective gloves. Wear eye or face protection. P211 - Do not spray on an open flame or other ignition source.

P260 - Do not breathe dust or mist.

P263 - Avoid contact during pregnancy or while nursing.

P251 - Do not pierce or burn, even after use. P352 - Wash with plenty of soap and water.

P340 - Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P351 - Rinse cautiously with water for several minutes.

P338 - Remove contact lenses, if present and easy to do. Continue rinsing.

**Storage** : P410 + P412 - Protect from sunlight and do not expose to temperatures exceeding

50 °C/122 °F.

**Disposal**: P501 - Dispose of contents and container in accordance with all local, regional,

national or international regulations.

**Hazardous ingredients** 

Supplemental label

elements

Response

: Formaldehyde, oligomeric reaction products with aniline and phosgene

: Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

#### **Special packaging requirements**

Containers to be fitted with child-resistant

fastenings

: Not applicable.

Tactile warning of danger : Yes, applicable.

#### 2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII : This mixture does not contain any substances that are assessed to be a PBT or a

vPvB.

## **SECTION 2: Hazards identification**

Other hazards which do not result in classification

: None known.

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
Formaldehyde, oligomeric reaction products with aniline and phosgene	EC: 500-079-6 CAS: 32055-14-4	≥50 - ≤75	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373	[1]
Alkanes, C14-17, chloro	REACH #: 01-2119519269-33 EC: 287-477-0 CAS: 85535-85-9 Index: 602-095-00-X	≥10 - ≤25	Lact., H362 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1) EUH066	[1]
dimethyl ether	REACH #: 01-2119472128-37 EC: 204-065-8 CAS: 115-10-6 Index: 603-019-00-8	≥10 - ≤25	Flam. Gas 1A, H220 Press. Gas (Comp.), H280	[2]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

#### **Type**

- 1 Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Eye contact : Inhalation : Skin contact : Ingestion :

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. If it

is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing

thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

Date of issue/Date of revision : 19-10-2022 Date of previous issue : 31-8-2020 Version : 5 3/15

#### **SECTION 4: First aid measures**

There are no data available on the mixture itself. The mixture has been assessed following the conventional method of the CLP Regulation (EC) No 1272/2008 and is classified for toxicological properties accordingly. See Sections 2 and 3 for details.

Exposure to component solvent vapor concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness.

Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

Ingestion may cause nausea, diarrhea and vomiting.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Contains Formaldehyde, oligomeric reaction products with aniline and phosgene. May produce an allergic reaction.

#### Over-exposure signs/symptoms

Eye contact : Inhalation : Skin contact : Ingestion :

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing :

media

Unsuitable extinguishing

media

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the

substance or mixture

Hazardous combustion :

products

#### 5.3 Advice for firefighters

Special protective actions

for fire-fighters

Special protective equipment for fire-fighters

Date of issue/Date of revision : 19-10-2022 Date of previous issue : 31-8-2020 Version : 5 4/15

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any

information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental

precautions

6.3 Methods and materials for containment and cleaning up

Small spill Large spill

6.4 Reference to other

: See Section 1 for emergency contact information.

sections

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

**Protective measures** Advice on general occupational hygiene

#### 7.2 Conditions for safe storage, including any incompatibilities

#### **Seveso Directive - Reporting thresholds**

#### **Danger criteria**

	Notification and MAPP threshold	Safety report threshold
<b>P</b> 3a	150 tonne	500 tonne

#### 7.3 Specific end use(s)

Recommendations : Not available. Industrial sector specific : Not available.

solutions

## SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

#### Occupational exposure limits

## **SECTION 8: Exposure controls/personal protection**

Product/ingredient name	Exposure limit values
dimethyl ether	EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 958 mg/m³ 15 minutes. STEL: 500 ppm 15 minutes. TWA: 400 ppm 8 hours. TWA: 766 mg/m³ 8 hours.

## Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

Product/ingredient name	Type	Exposure	Value	Population	Effects
Formaldehyde, oligomeric reaction products with aniline and phosgene	DNEL	Long term Inhalation	0.05 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Short term Inhalation	0.1 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Inhalation	0.025 mg/ m³	General population [Consumers]	Local
	DNEL	Short term Inhalation	0.05 mg/m <sup>3</sup>	General population [Consumers]	Local
Alkanes, C14-17, chloro	DNEL	Long term Inhalation	6.7 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	47.9 mg/ kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	2 mg/m³	General population [Consumers]	Systemic
	DNEL	Long term Oral	28.75 mg/ kg bw/day	General population [Consumers]	Systemic
	DNEL	Long term Oral	0.58 mg/ kg bw/day	General population [Consumers]	Systemic
dimethyl ether	DNEL	Long term Inhalation	1.894 mg/ m³	Workers	Systemic
	DNEL	Long term Inhalation	471 mg/m³	General population [Consumers]	Systemic

#### **PNECs**

## **SECTION 8: Exposure controls/personal protection**

Product/ingredient name	Compartment Detail	Value	Method Detail
Formaldehyde, oligomeric reaction products with aniline and phosgene	Fresh water	1 mg/l	Assessment Factors
	Marine water	0.1 mg/l	Assessment Factors
	Sewage Treatment Plant	1 mg/l	Assessment Factors
	Soil	1 mg/kg dwt	Assessment Factors
Alkanes, C14-17, chloro	Fresh water	1 μg/l	Assessment Factors
	Marine water	0.2 µg/l	Assessment Factors
	Sewage Treatment Plant	80 μg/l	Assessment Factors
	Fresh water sediment	13 mg/kg	Assessment Factors
	Marine water sediment	2.6 mg/kg dwt	Assessment Factors
	Soil	11.9 mg/kg dwt	Assessment Factors
	Secondary Poisoning	10 mg/kg	Assessment Factors
dimethyl ether	Fresh water	0.155 mg/l	Assessment Factors
	Marine water	0.016 mg/l	Assessment Factors
	Sewage Treatment Plant	160 mg/l	Assessment Factors
	Fresh water sediment	0.681 mg/kg dwt	-
	Marine water sediment	0.069 mg/kg dwt	-
	Soil	0.045 mg/kg dwt	-

#### 8.2 Exposure controls

Appropriate engineering controls

#### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

**Skin protection** 

Hand protection

When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time >480 minutes according to EN374) is recommended. Recommended gloves: Viton ® or Nitrile, thickness ≥ 0.38 mm. When only brief contact is expected, a glove with protection class of 2 or higher (breakthrough time >30 minutes according to EN374) is recommended.

Recommended gloves: Nitrile, thickness ≥ 0.12 mm.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance.

The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.

**Body protection** 

:

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection
Environmental exposure

controls

:

Date of issue/Date of revision : 19-10-2022 Date of previous issue : 31-8-2020 Version : 5 7/15

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state : Liquid. Color Yellowish. Odor : Characteristic. : Not available. **Odor threshold** Hq Not available. Melting point/freezing point : Not available. Initial boiling point and : Not available.

boiling range

: Closed cup: 999°C

Flash point : Not available. **Evaporation rate** Flammability (solid, gas) : Not available. Upper/lower flammability or : Lower: 3% Upper: 16% explosive limits Vapor pressure : Not available.

Vapor density

: 0.988 Relative density

Solubility(ies) : Insoluble in the following materials: cold water.

Partition coefficient: n-octanol/ : Not available.

water

**Auto-ignition temperature** : Not available. **Decomposition temperature** : Not available.

**Viscosity** : Kinematic (room temperature): 10.11 cm<sup>2</sup>/s

9.2 Other information

**Aerosol product** 

Type of aerosol : Foam : 3.128 kJ/q **Heat of combustion** 

## **SECTION 10: Stability and reactivity**

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

10.5 Incompatible materials

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Date of issue/Date of revision : 19-10-2022 :31-8-2020 Version:5 8/15 Date of previous issue

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Formaldehyde, oligomeric reaction products with aniline and phosgene	LC50 Inhalation Vapor	Rat - Male, Female	0.31 mg/l	4 hours
, -	LD50 Dermal	Rabbit - Male, Female	>9400 mg/kg	-
	LD50 Oral	Rat - Male	>10000 mg/kg	-

Conclusion/Summary

: Not available.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Formaldehyde, oligomeric reaction products with aniline and phosgene	Skin - Mild irritant	Rabbit	-	-	-

Conclusion/Summary

: Not available.

#### **Sensitization**

Product/ingredient name	Route of exposure	Species	Result
Formaldehyde, oligomeric reaction products with aniline and phosgene	skin	Guinea pig	Not sensitizing
	Respiratory	Rat	Sensitizing

Conclusion/Summary

: Not available.

**Mutagenicity** 

Conclusion/Summary

: Not available.

#### **Carcinogenicity**

Product/ingredient name	Result	Species	Dose	Exposure
Formaldehyde, oligomeric reaction products with aniline and phosgene	Positive - Inhalation - TD	Rat - Male, Female	-	-

Conclusion/Summary

: Not available.

Reproductive toxicity

**Conclusion/Summary**: Not available.

**Teratogenicity** 

Conclusion/Summary : Not available.

## Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
<b>1</b> 31079	Category 3	-	Respiratory tract irritation
Formaldehyde, oligomeric reaction products with aniline and phosgene	Category 3	-	Respiratory tract irritation

#### Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
₹31079 Formaldehyde, oligomeric reaction products with aniline and phosgene	Category 2 Category 2	-	-

#### **Aspiration hazard**

Date of issue/Date of revision : 19-10-2022 Date of previous issue : 31-8-2020 Version : 5 9/15

## **SECTION 11: Toxicological information**

Not available.

Information on the likely routes of exposure

#### Potential acute health effects

Eye contact : Inhalation : Skin contact : Ingestion :

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Inhalation : Skin contact : Ingestion :

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Short term exposure**

Potential immediate :

effects

Potential delayed effects :

Long term exposure

Potential immediate

effects

Potential delayed effects : Potential chronic health effects

Not available.

Conclusion/Summary :
General :
Carcinogenicity :
Mutagenicity :
Reproductive toxicity :

Other information : Not available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Do not allow to enter drains or watercourses.

Product/ingredient name	Result	Species	Exposure
Formaldehyde, oligomeric reaction products with aniline and phosgene	Acute EC50 >1.64 mg/l	Algae	72 hours
. ,	Acute EC50 >1 mg/l Acute EC50 >100 mg/l Acute LC50 >1 mg/l Chronic NOEC >10 mg/l	Daphnia - Daphnia magna Micro-organism Fish - Danio rerio Daphnia - Daphnia magna	24 hours 3 hours 96 hours 21 days

**Conclusion/Summary**: No known significant effects or critical hazards.

#### 12.2 Persistence and degradability

## **SECTION 12: Ecological information**

Product/ingredient name	Test	Result	Dose	Inoculum
Formaldehyde, oligomeric reaction products with aniline and phosgene	OECD 302 302C Inherent Biodegradability: Modified MITI Test (II)	0 % - Not readily - 288 days	-	-

Conclusion/Summary

: Based on available data, the classification criteria are not met.

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Formaldehyde, oligomeric reaction products with aniline and phosgene	4.51	200	low
Alkanes, C14-17, chloro dimethyl ether	4.7 to 8.3 0.07	-	high low

#### 12.4 Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>)

: Not available.

Mobility

: Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### **12.6 Other adverse effects**: No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

#### **Product**

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

: Yes.

**Disposal considerations** 

: Do not allow to enter drains or watercourses.

Dispose of according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no

longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

#### **Packaging**

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Disposal considerations** 

: Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers.

Empty containers must be scrapped or reconditioned.

Dispose of containers contaminated by the product in accordance with local or

national legal provisions.

## **SECTION 13: Disposal considerations**

**Special precautions** 

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

## **SECTION 14: Transport information**

	ADR/RID	IMDG
14.1 UN number	UN1950	UN1950
14.2 UN proper shipping name	AEROSOLS	AEROSOLS
14.3 Transport hazard class(es)	2	2.1
14.4 Packing group	-	-
14.5 Environmental hazards	No.	No.

#### **Additional information**

: **Yunnel code** (D) ADR/RID

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

Transport in bulk according : Not available.

to IMO instruments

## SECTION 15: Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

#### Annex XIV - List of substances subject to authorization

#### **Annex XIV**

None of the components are listed, or the component present is below its threshold.

#### Substances of very high concern

None of the components are listed, or the component present is below its threshold.

Annex XVII - Restrictions : Not applicable.

on the manufacture,

placing on the market

and use of certain

dangerous substances,

mixtures and articles

Other EU regulations

VOC : The provisions of Directive 2004/42/EC on VOC apply to this product. Refer to the

product label and/or technical data sheet for further information.

**VOC for Ready-for-Use** 

**Mixture** 

: Not applicable.

Industrial emissions (integrated pollution

prevention and control) -

: Not listed

Air

**Industrial emissions** (integrated pollution

prevention and control) -

: Not listed

Water

Date of issue/Date of revision : 19-10-2022 : 31-8-2020 Version : 5 12/15 Date of previous issue

## **SECTION 15: Regulatory information**

#### Ozone depleting substances (1005/2009/EU)

Not listed.

#### Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Aerosol dispensers

3



Extremely flammable

#### **Seveso Directive**

This product is controlled under the Seveso Directive.

#### **Danger criteria**

Category

**₽**3a

#### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

## 15.2 Chemical Safety

**Assessment** 

: No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and

: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

acronyms

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

SGG = Segregation Group

vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Date of issue/Date of revision : 19-10-2022 Date of previous issue : 31-8-2020 Version : 5 13/15

#### **SECTION 16: Other information**

Classification	Justification
Kerosol 1, H222, H229	Expert judgment
Acute Tox. 4, H332	On basis of test data
Skin Irrit. 2, H315	Expert judgment
Eye Irrit. 2, H319	Expert judgment
Resp. Sens. 1, H334	Expert judgment
Skin Sens. 1, H317	Expert judgment
Carc. 2, H351	Expert judgment
STOT SE 3, H335	Expert judgment
STOT RE 2, H373	Expert judgment

#### Full text of abbreviated H statements

<b>⊮</b> 220	Extremely flammable gas.
H222, H229	Extremely flammable aerosol. Pressurized container: may burst if
	heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if
	inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H362	May cause harm to breast-fed children.
H373	May cause damage to organs through prolonged or repeated
	exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### Full text of classifications [CLP/GHS]

Acute Tox. 4 **ACUTE TOXICITY - Category 4** Aerosol 1 AEROSOLS - Category 1 AQUATIC HAZARD (ACUTE) - Category 1 Aquatic Acute 1 Aquatic Chronic 1 AQUATIC HAZARD (LONG-TERM) - Category 1 Carc. 2 **CARCINOGENICITY - Category 2** Eye Irrit. 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 Flam. Gas 1A FLAMMABLE GASES - Category 1A TOXIC TO REPRODUCTION - Effects on or via lactation Lact. Press. Gas (Comp.) GASES UNDER PRESSURE - Compressed gas Resp. Sens. 1 **RESPIRATORY SENSITIZATION - Category 1** Skin Irrit. 2 SKIN CORROSION/IRRITATION - Category 2 Skin Sens. 1 SKIN SENSITIZATION - Category 1 STOT RE 2 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 STOT SE 3 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) -Category 3

Date of printing : 19 October 2022 Date of issue/ Date of : 19 October 2022

revision

Date of previous issue : 31 August 2020

Version : 5

**Notice to reader** 

: 31-8-2020 Date of issue/Date of revision Version:5 14/15 : 19-10-2022 Date of previous issue

#### **SECTION 16: Other information**

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Safety Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to AkzoNobel.

#### Head Office

AkzoNobel Decorative Coatings BV, Christian Neefestraat 2, 1077 WW Amsterdam, The Netherlands

Date of issue/Date of revision : 19-10-2022 Date of previous issue : 31-8-2020 Version : 5 15/15