

KNOTTING

Page: 1

Compilation date: 16/04/2013 Revision date: 03/01/2020

Revision No: 5

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: KNOTTING

Product code: KNOT

Synonyms: KNOTTING

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Rustins Ltd

Waterloo Road

Cricklewood

London

NW2 7TX

United Kingdom

Tel: +44 (0)208 450 4666

Fax: +44 (0)208 452 2008

Email: rustins@rustins.co.uk

1.4. Emergency telephone number

Emergency tel: .+44(0)2084504666 (Office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Flam. Liq. 2: H225

Most important adverse effects: Highly flammable liquid and vapour.

2.2. Label elements

Label elements:

Hazard statements: H225: Highly flammable liquid and vapour.

Hazard pictograms: GHS02: Flame



 Signal words:
 Danger

 Precautionary statements:
 P243: Take action to prevent static discharges.

 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

 Rinse skin with water .

KNOTTING

Page: 2

P280: Wear eye protection.

P370+P378: In case of fire: Use media other than water to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to hazardous or special waste collection point.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ETHANOL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-578-6	64-17-5	Substance with a Community workplace exposure limit.	Flam. Liq. 2: H225	62.700%

METHANOL

200-659-6	67-56-1	-	Flam. Liq. 2: H225; Acute Tox. 3: H331;	2.670%
			Acute Tox. 3: H311; Acute Tox. 3: H301;	
			STOT SE 1: H370	

Section 4: First aid measures		
4.1. Description of first aid m	easures	
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash	
	immediately with plenty of soap and water.	
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.	
Ingestion:	Do not induce vomiting. Wash out mouth with water. If unconscious and breathing is OK,	
	place in the recovery position.	
Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If		
	unconscious, check for breathing and apply artificial respiration if necessary. Transfer to	
	hospital as soon as possible.	
4.2. Most important symptom	is and effects, both acute and delayed	
Skin contact:	There may be mild irritation at the site of contact.	
Eye contact:	There may be irritation and redness.	
Ingestion:	There may be soreness and redness of the mouth and throat.	
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.	
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.	

4.3. Indication of any immediate medical attention and special treatment needed

KNOTTING

ection 5: Fire-fighting meas	sures	
5.1. Extinguishing media		
Extinguishing media:	Dry chemical powder. Carbon dioxide. Alcohol resistant foam.	
5.2. Special hazards arising f	rom the substance or mixture	
Exposure hazards:	Highly flammable. Forms explosive air-vapour mixture. Vapour may travel considerable	
	distance to source of ignition and flash back. In combustion emits toxic fumes of carbon	
	dioxide / carbon monoxide.	
5.3. Advice for fire-fighters		
Advice for fire-fighters:	Wear protective clothing to prevent contact with skin and eyes. Wear self-contained	
	breathing apparatus.	
ection 6: Accidental release	e measures	
6.1. Personal precautions, pr	otective equipment and emergency procedures	
	Eliminate all sources of ignition. Mark out the contaminated area with signs and prevent	
r croonar predations.	access to unauthorised personnel. Refer to section 8 of SDS for personal protection	
	details.	
6.2. Environmental precautions		
Environmental precautions:	Do not discharge into drains or rivers.	
6.3. Methods and material for	r containment and cleaning up	
Clean-up procedures:	Absorb into dry earth or sand. Transfer to a suitable container.	
6.4. Reference to other section	ons	
ection 7: Handling and stor	ade	
7.1. Precautions for safe han		
nanunny requirements:	Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance. Earth any equipment used in handling. Use non-sparking tools. Smoking is forbidden.	
7.2. Conditions for safe stora	Ige, including any incompatibilities	
Of a man 1 is 1 if it	Store in a cool, well ventilated area. Keep container tightly closed. Keep away from direct	
Storage conditions:	aunlight Koon away from acurace of ignition. Ensure lighting and classified a winners t	
Storage conditions:	sunlight. Keep away from sources of ignition. Ensure lighting and electrical equipment	
	sunlight. Keep away from sources of ignition. Ensure lighting and electrical equipment are not a source of ignition. Must only be kept in original packaging.	

Section 8: Exposure controls/personal protection

KNOTTING

8.1. Control parameters

Hazardous ingredients:

ETHANOL

Workplace exposure limits:

•	•		•	
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1920 mg/m3	-	-	-

Respirable dust

METHANOL

UK 266 mg/m3 333 mg/m3	
------------------------	--

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical
	equipment are not a source of ignition. The floor of the storage room must be
	impermeable to prevent the escape of liquids.
Respiratory protection:	Gas/vapour filter, type A: organic vapours (EN141).
Hand protection:	Protective gloves.
Eye protection:	Safety glasses.
Skin protection:	Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid	
Colour:	Brown	
Odour:	Alcoholic	
Evaporation rate:	No data available.	
Oxidising:	No data available.	
Solubility in water:	Partially miscible.	
Also soluble in:	Ethanol. Methanol.	
Viscosity:	Viscous	
Boiling point/range°C:	78 Melting point/range°C:	No data available.
Flammability limits %: lower:	No data available. upper:	No data available.
Flash point°C:	12 Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available. Vapour pressure:	No data available.
Relative density:	0.900 @ 20 C pH:	No data available.
VOC g/l:	No data available.	

KNOTTING

Page: 5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Flames. Sources of ignition.

10.5. Incompatible materials

Materials to avoid: Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ETHANOL

IVN	RAT	LD50	1440	mg/kg
ORL	MUS	LD50	3450	mg/kg
ORL	RAT	LD50	7060	mg/kg

METHANOL

IVN	RAT	LD50	2131	mg/kg
ORL	MUS	LD50	7300	mg/kg
ORL	RAT	LD50	5628	mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

KNOTTING

Page: 6

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Highly volatile. Absorbed only slowly into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1263

14.2. UN proper shipping name

Shipping name: PAINT

including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: |

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

KNOTTING

14.6. Special precautions for user

Tunnel code: D/E

Transport category: 1

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: Saftey Data Sheet complies with UK regulatory references in accordance with CHIP 3.1.

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H225: Highly flammable liquid and vapour.
	H301: Toxic if swallowed.
	H311: Toxic in contact with skin.
	H331: Toxic if inhaled.
	H370: Causes damage to organs.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product. As the specific
	conditions of use of the product are outside the supplier's control, the user is
	responsible for ensuring that the requirements of relevant legislation are complied with.