according to Regulation (EC) No 1907/2006

ABUS Pflegespray 50ml und 125 ml D lose Neu

Revision date: 08.06.2017

Product code: 1101071

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ABUS Pflegespray 50ml und 125 ml D lose Neu

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

No information available.

1.3. Details of the supplier of the safety data sheet

Company name:	ABUS August Bremicker Söhne KG	
Street:	Altenhofer Weg 25	
Place:	D-58300 Wetter	
Telephone: e-mail (Contact person):	+49 (0) 2335 6340 info@abus.de	Telefax:+49 (0) 2335 634316
1.4. Emergency telephone	111 NHS (National Health Service)	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1 Aspiration hazard: Asp. Tox. 1 Specific target organ toxicity - single exposure: STOT SE 3 Hazard Statements: Extremely flammable aerosol. Pressurised container: May burst if heated. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, <2% aromatics

Signal word: Pictograms:



Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H336	May cause drowsiness or dizziness.

Precautionary statements

loouullonuly olulo	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.

according to Regulation (EC) No 1907/2006

	ABUS Pflegespray 50ml und 125 ml D lose Neu			
Revision date: 08.06.2017	Product code: 1101071	Page 2 of 11		
P312	Call a POISON CENTER/doctor if you feel unwell.			
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.			
Special labelling of cer	tain mixtures			
EUH066	Repeated exposure may cause skin dryness or cracking.			
EUH208	Contains Benzenesulfonic acids, di-C10-14-alkyl derivatives, calcium salts. May produce an allergic reaction.			
2.3. Other hazards				

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regula	tion (EC) No. 1272/2008 [C	LP]	
64742-48-9	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, <2% aromatics			25 - < 50 %
	927-241-2		01-2119471843-32	
	Flam. Liq. 3, STOT SE 3, Asp. Tox	. 1; H226 H336 H304 EUH	066	
75-28-5	isobutane			25 - < 50 %
	200-857-2	601-004-00-0	01-2119485395-27	
	Flam. Gas 1, Liquefied gas; H220	H280	-	
74-98-6	propane			3 - < 5 %
	200-827-9	601-003-00-5	01-2119486944-21	
	Flam. Gas 1, Liquefied gas; H220	H280		
106-97-8	butane			1 - < 3 %
	203-448-7	601-004-00-0	01-2119474691-32	
	Flam. Gas 1, Liquefied gas; H220	H280		
	Benzenesulfonic acids, di-C10-14-	alkyl derivatives, calcium s	alts	0.1 - < 1 %
	939-603-7		01-2119978241-36	
	Skin Sens. 1B; H317			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

according to Regulation (EC) No 1907/2006

ABUS Pflegespray 50ml und 125 ml D lose Neu

Revision date: 08.06.2017

Product code: 1101071

Page 3 of 11

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

according to Regulation (EC) No 1907/2006

ABUS Pflegespray 50ml und 125 ml D lose Neu

Revision date: 08.06.2017

Product code: 1101071

Page 4 of 11

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Heating causes rise in pressure with risk of bursting.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Advice on storage compatibility

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Protect from frost. Protect against direct sunlight. Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL

Additional advice on limit values

a no restriction

b End of exposure or shift

c in long-term exposure: after several shifts

d prior to next shift

STEL (EC) : Short Term Exposure Limit TWA (EC): time-weighted average U: Urea B: Blood

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

DIN EN 166

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time (maximum wearing time) 480min

according to Regulation (EC) No 1907/2006

ABUS Pflegespray 50ml und 125 ml D lose Neu

Revision date: 08.06.2017

Product code: 1101071

Page 5 of 11

Thickness of the glove material 0,45 mm DIN EN 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols. When exceeding the relevant workplace exposure limits, note the following: Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Filtering device with filter or ventilator filtering device of type: Observe the wear time limits as specified by the manufacturer. Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	@0901.B0919	
Colour:	brown	
Odour:	sweetish	
		Test method
pH-Value (at 20 °C):	not determined	DIN 19268
Changes in the physical state		
Melting point:	not determined	
Initial boiling point and boiling range:	not determined	
Sublimation point:	No information available.	
Softening point:	No information available.	
Flash point:	-80 °C	
Flammability		
Solid:	not applicable	
Gas:	not applicable	
Lower explosion limits:	0,5 vol. %	
Upper explosion limits:	9,4 vol. %	
Ignition temperature:	No information available.	
Auto-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	not determined	
Oxidizing properties Not oxidising.		
Vapour pressure:	not determined	
Vapour pressure:	No information available.	
Density (at 20 °C):	0,783 g/cm³	DIN 51757
Bulk density:	not applicable	
Water solubility:	The study does not need to be conducted	
	because the substance is known to be	
	insoluble in water	

according to Regulation (EC) No 1907/2006

ABUS Pflegespray 50ml und 125 ml D lose Neu

-		
Revision date: 08.06.2017	Product code: 1101071	Page 6 of 11
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Viscosity / dynamic:	No information available.	
Viscosity / kinematic:	< 7 mm²/s	
Flow time:	No information available.	
Vapour density:	not determined	
Evaporation rate:	not determined	
Solvent separation test:	No information available.	
Solvent content:	No information available.	
9.2. Other information		
Solid content:	not determined	

pressure - bar (20°C)

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable, Ignition hazard.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

ABUS Pflegespray 50ml und 125 ml D lose Neu

Revision date: 08.06.2017

Product code: 1101071

Page 7 of 11

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
64742-48-9	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, <2% aromatics					
	oral	LD50 > mg/kg	> 5000	Rat		
	dermal	LD50 > mg/kg	> 5000	Rabbit		
	inhalative (4 h) vapour		> 4951	Rat		
106-97-8	butane					
	inhalative (4 h) gas	LC50 6	658 ppm	Rat	GESTIS	
	Benzenesulfonic acids, d	i-C10-14-alkyl	derivatives	s, calcium salts		
	oral	LD50 > mg/kg	> 5000	Rat		
	dermal	LD50 > mg/kg	> 5000	Rat		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, <2% aromatics)

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

according to Regulation (EC) No 1907/2006

ABUS Pflegespray 50ml und 125 ml D lose Neu

Revision date: 08.06.2017

Product code: 1101071

Page 8 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64742-48-9	Hydrocarbons, C9-C10, n-	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclenes, <2% aromatics				
	Acute fish toxicity	LC50 >1000 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 >1000 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 >1000 mg/l	48 h	Daphnia magna		
	Benzenesulfonic acids, di-C10-14-alkyl derivatives, calcium salts					
	Acute fish toxicity	LC50 > 100 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(> 10000 mg/l)			OECD-209	

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-28-5	isobutane	2,8
74-98-6	propane	2,36
106-97-8	butane	2,89

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

Waste disposal number of used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

according to Regulation (EC) No 1907/2006

ABUS Pflegespray 50ml und 125 ml D lose Neu

Revision date: 08.06.2017

Product code: 1101071

Page 9 of 11

Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

SECTION 14: Transport information

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0
Transport category:	2
Tunnel restriction code:	D
Inland waterways transport (ADN)	
14.1. UN number:	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0
Marine transport (IMDG)	UN 1950
14.1. UN number:	
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2.1
<u>14.4. Packing group:</u>	-
Hazard label:	2.1
Marine pollutant:	no
Special Provisions:	63, 190, 277, 327, 344, 959 1000 mL
Limited quantity: Excepted quantity:	E0
Excepted quantity.	F-D, S-U
Air transport (ICAO-TI/IATA-DGR)	1 5,00
All transport (ICAO-TI/IATA-DGR)	
• • • •	UN 1950
<u>14.1. UN number:</u>	
<u>14.1. UN number:</u> 14.2. UN proper shipping name:	UN 1950 AEROSOLS, flammable 2.1
<u>14.1. UN number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u>	AEROSOLS, flammable
<u>14.1. UN number:</u> 14.2. UN proper shipping name:	AEROSOLS, flammable 2.1 -
<u>14.1. UN number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	AEROSOLS, flammable 2.1 - 2.1
<u>14.1. UN number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label: Special Provisions:	AEROSOLS, flammable 2.1 - 2.1 A145 A167 A802
<u>14.1. UN number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	AEROSOLS, flammable 2.1 - 2.1
14.1. UN number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:Hazard label:Special Provisions:Limited quantity Passenger:	AEROSOLS, flammable 2.1 - 2.1 A145 A167 A802 30 kg G

according to Regulation (EC) No 1907/2006

ABUS	S Pflegespray 50ml und 125 ml D lose Neu	
Revision date: 08.06.2017	Product code: 1101071	Page 10 of 11
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	203 75 kg 203 150 kg	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user No information available.		
14.7. Transport in bulk according to Annex not applicable	x II of Marpol and the IBC Code	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory information		
2010/75/EU (VOC):	No information available.	
2004/42/EC (VOC):	No information available.	
Additional information		
	ulation (EC) No. 1907/2006 (REACH) evaluation method according to regulation (EC) No 1272/2008 [CLP]:	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juver work protection guideline' (94/33/EC).	nile
Water contaminating class (D): Additional information 94/69/EC (21st ATP). The benzene c Classification and labeling as carcino	1 - slightly water contaminating ontent of the product is less than 0.1%. It applies the annotation P.	
SECTION 16: Other information	3	
Changes		
-	m the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,13,14,15,16.	
Abbreviations and acronyms		
ADR: Accord européen sur le transpo concerning the International Carriage	ort des marchandises dangereuses par Route (European Agreement e of Dangerous Goods by Road) nant le transport des marchandises dangereuses par chemin de fer	
-	tional Transport of Dangerous Goods by Rail)	
	or Dangerous Goods of Classification and Labelling of Chemicals ting Commercial Chemical Substances	
ELINCS: European List of Notified Cl	•	
	vision of the American Chemical Society)	
DNEL/DMEL: Derived No Effect Leve WEL (UK): Workplace Exposure Limi		
TWA (EC): Time-Weighted Average		
ATE: Acute Toxicity Estimate		
STEL (EC) Short Term Exposure Lim	it	
LC50: Lethal Concentration	stration	

according to Regulation (EC) No 1907/2006

ABUS Pflegespray 50ml und 125 ml D lose Neu

Revision date: 08.06.2017

Product code: 1101071

Page 11 of 11

٦

ErC50: means EC50 in terms of reduction of growth rate

Classification for mixtures and use	ed evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data
Asp. Tox. 1; H304	Calculation method
STOT SE 3; H336	Bridging principle "Aerosols"

Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains Benzenesulfonic acids, di-C10-14-alkyl derivatives, calcium salts. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)