SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : LIBERON - PALETTE WOOD DYE - Tudor Oak - 250 ml Product code : 014308

1.2. Relevant identified uses of the substance or mixture and uses advised against Dye

1.3. Details of the supplier of the safety data sheet

Registered company name : LIBERON Ltd Address : .Mountfield Industrial Estate KENT TN28 8XU NEW ROMNEY GB Telephone : + (44) 1797 367 555. Fax: + (44) 1797 367 575. Telex: . fds.produits@v33.com www.liberon.co.uk

1.4. Emergency telephone number : .

Association/Organisation : .

Other emergency numbers

UK - National Poisons Information Service

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :	
EUH208	Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.
EUH208	Contains REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H
	-ISOTHIAZOL-3-ONE (3:1). May produce an allergic reaction.
Precautionary statements - G	General :
P102	Keep out of reach of children.
Precautionary statements - F	Prevention :
P271	Use only outdoors or in a well-ventilated area.
Precautionary statements - D	Disposal :
P501	Dispose of contents/container to a waste collection center (contact the local authority)

Dispose of contents/container to a waste collection center (contact the local authority)

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	(EC) 1272/2008	Note	%
INDEX: 613_088_006B	GHS06, GHS05, GHS09		0 <= x % < 0.05
CAS: 2634-33-5	Dgr		
EC: 220-120-9	Acute Tox. 4, H302		
	Skin Irrit. 2, H315		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Sens. 1, H317		
	Eye Dam. 1, H318		
	Acute Tox. 2, H330		
	Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) LIBERON - PALETTE WOOD DYE - Tudor Oak - 250 ml - 014308

ERON - FALETTE WOOD DTE - Tudoi Oak - 250 mil - 014306		
M Acute = 1		
GHS06, GHS05, GHS09	0 <= x % < 0.0015	
Dgr		
Acute Tox. 3, H301		
Acute Tox. 2, H310		
Skin Corr. 1B, H314		
Skin Sens. 1A, H317		
Eye Dam. 1, H318		
Acute Tox. 2, H330		
Aquatic Acute 1, H400		
M Acute = 100		
Aquatic Chronic 1, H410		
M Chronic = 10		
	GHS06, GHS05, GHS09 Dgr Acute Tox. 3, H301 Acute Tox. 2, H310 Skin Corr. 1B, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 M Acute = 100 Aquatic Chronic 1, H410	

(Full text of H-phrases: see section 16)

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

- In the event of a fire, the following may be formed :
- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)	Version 1.1 (07-05-2019) - Page 3/
IBERON - PALETTE WOOD DYE - Tudor Oak - 250 ml - 014308	
For first aid worker	
First aid workers will be equipped with suitable personal protective equipment (See sec	ction 8).
6.2. Environmental precautions	,
Contain and control the leaks or spills with non-combustible absorbent materials such a	as sand, earth, vermiculite, diatomaceous earth in drum
for waste disposal.	
Prevent any material from entering drains or waterways.	
6.3. Methods and material for containment and cleaning up	
Clean preferably with a detergent, do not use solvents.	
6.4. Reference to other sections	
No data available.	
ECTION 7 : HANDLING AND STORAGE	
Requirements relating to storage premises apply to all facilities where the mixture is ha	ndled.
7.1. Precautions for safe handling	
Always wash hands after handling.	
Remove and wash contaminated clothing before re-using.	
Fire prevention :	
Prevent access by unauthorised personnel.	
Recommended equipment and procedures :	
For personal protection, see section 8.	
Observe precautions stated on label and also industrial safety regulations.	
Prohibited equipment and procedures :	
No smoking, eating or drinking in areas where the mixture is used.	
7.2. Conditions for safe storage, including any incompatibilities	
No data available.	
Storage	
Keep out of reach of children.	
Do not allow to freeze	
Packaging	
Always keep in packaging made of an identical material to the original.	
7.3. Specific end use(s)	
No data available.	
ECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION	
8.1. Control parameters	
No data available.	
8.2. Exposure controls	
Personal protection measures, such as personal protective equipment	
Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area.	
Never eat, drink or smoke during use. Remove and wash contaminated clothing before	re-using. Ensure that there is adequate ventilation
especially in confined areas.	
- Eye / face protection	
Avoid contact with eyes.	
Use eye protectors designed to protect against liquid splashes	
Before handling, wear safety goggles in accordance with standard EN166.	

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information :

Physical state :	Fluid liquid.	
Important health, safety and environmental information		
pH :	Not stated.	
	Slightly basic.	
Boiling point/boiling range :	Not relevant.	
Flash point interval :	Not relevant.	
Vapour pressure (50°C) :	Not relevant.	
Density :	>1	
Water solubility :	Dilutable.	
Melting point/melting range :	Not relevant.	
Self-ignition temperature :	Not relevant.	
Decomposition point/decomposition range :	Not relevant.	
9.2. Other information		

5.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid :

- frost

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No data available.

11.1.1. Substances

Acute toxicity :

REACTION MASS OF: 5-CHLORO-2	REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) (CAS: 55965-84-9)	
Oral route :	LD50 = 66 mg/kg	
	OCDE Ligne directrice 401 (Toxicité alguë par voie orale)	

Dermal route :	LD50 > 141 mg/kg
	OCDE Ligne directrice 402 (Toxicité aiguë par voie cutanée)

11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

2.1. Toxicity	
2.1.1. Substances	
	HIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) (CAS: 55965-84-9
Fish toxicity :	LC50 = 0.22 mg/l
	Factor M = 1
	Species : Oncorhynchus mykiss
	Duration of exposure : 96 h
	OCDE Ligne directrice 203 (Poisson, essai de toxicité aiguë)
	NOEC = 0.098 mg/l
	Factor M = 1
	Species : Oncorhynchus mykiss
	OCDE Ligne directrice 210 (Poisson, essai de toxicité aux premiers stades de la vie)
Crustacean toxicity :	EC50 = 0.0052 mg/l
	Factor M = 100
	Species : Others
	Duration of exposure : 48 h
	Autres lignes directrices
	NOEC = 0.004 mg/l
	Factor M = 10
	Species : Daphnia magna
	Duration of exposure : 21 jours
	OCDE Ligne directrice 211 (Daphnia magna, essai de reproduction)
Algae toxicity :	ECr50 = 0.048 mg/l
	Factor M = 10
	Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h
	NOEC = 0.0012 mg/l
	Factor M = 10
	Species : Pseudokirchnerella subcapitata
	OCDE Ligne directrice 201 (Algues, Essai d'inhibition de la croissance)
2.1.2. Mixtures	
No aquatic toxicity data available for the mixture. 2.2. Persistence and degradability	
2.2.1. Substances	
REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOT Biodegradability :	HIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) (CAS: 55965-84- no degradability data is available, the substance is considered as not degrading quickly.
1,2-BENZISOTHIAZOL-3(2H)-ONE (CAS: 2634-33-5)	Rapidly degradable.
Biodegradability :	Rapidly degradable.
2.3. Bioaccumulative potential	
2.3.1. Substances	
	HIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) (CAS: 55965-84-9
Octanol/water partition coefficient :	log Koe <= 0.71 OCDE Ligne directrice 117 (Coefficient de partage (n-octanol/eau), méthode HPLC)
Bioaccumulation :	BCF = 3.16
2.4. Mobility in soil	
No data available.	

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number

14.2. UN proper shipping name

- -
- 14.3. Transport hazard class(es)
- 14.4. Packing group
- -
- 14.5. Environmental hazards
- -
- 14.6. Special precautions for user
- -

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2018/669 (ATP 11)
- Container information:
- No data available.
- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H301	Toxic if swallowed.
H302	Harmful if swallowed.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) LIBERON - PALETTE WOOD DYE - Tudor Oak - 250 ml - 014308

H310	Fatal in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.