

This safety data sheet complies with the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

BOSTIK SUPER GLUE EASY FLOW Supercedes Date: 24-Oct-2022 Revision date 02-May-2023 Revision Number 1.04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1	.1	. P	rod	uct	identifier

Product Name BOSTIK SUPER GLUE EASY FLOW

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use This product is a cyanoacrylate-based adhesive

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25

Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom

Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity — single exposure	Category 3 - (H335)
Category 3 Respiratory irritation	

2.2. Label elements

Contains ethyl-2-cyanoacrylate



BOSTIK SUPER GLUE EASY FLOW Supercedes Date: 24-Oct-2022 Revision date 02-May-2023 Revision Number 1.04

Signal word Warning

Hazard statements

H315 - Causes skin irritation.H319 - Causes serious eye irritation.H335 - May cause respiratory irritation.

EU Specific Hazard Statements

EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand
P102 - Keep out of reach of children
P271 - Use only outdoors or in a well-ventilated area
P280 - Wear protective gloves and eye/face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P405 - Store locked up
P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Polymerises with evolution of heat. Will bond to skin. Bonds skin and eyes in seconds. Combustible liquid.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
ethyl-2-cyanoacrylate	(607-236-00- 9) 230-391-5	7085-85-0	80 - 100	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	STOT SE 3 :: C>=10%	01-2119527766- 29-XXXX
Hydroquinone	(604-005-00- 4) 204-617-8	123-31-9	0.01 - <0.1	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	01-2119524016- 51-XXXX

Full text of H- and EUH-phrases: see section 16

BOSTIK SUPER GLUE EASY FLOW Supercedes Date: 24-Oct-2022

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention.			
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.			
Eye contact	If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred, release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention. Do not rub affected area. Get medical attention if irritation develops and persists.			
Skin contact	Polymerises with evolution of heat. If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred, release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention. Wash off immediately with soap and plenty of water for at least 15 minutes. Allow acetone or warm water to penetrate the bond and gently attempt to move bonded areas without pulling the skin away from bonded area. Do not remove clothing if adhering to skin.			
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a doctor.			
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.			
4.2. Most important symptoms and	d effects, both acute and delayed			
Symptoms	May cause redness and tearing of the eyes. Burning sensation.			
4.3. Indication of any immediate m	nedical attention and special treatment needed			
Note to doctors	No information available.			
SECTION 5: Firefighting me	asures			
5.1. Extinguishing media				
Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.			
Unsuitable extinguishing media	Full water jet. Do not scatter spilled material with high pressure water streams.			
5.2. Special hazards arising from the substance or mixture				
Specific hazards arising from the chemical	Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Bonds skin and eyes in seconds.			

BOSTIK SUPER GLUE EASY FLOW

Supercedes Date: 24-Oct-2022

Hazardous combustion products Nitrogen oxides (NOx).

5.3. Advice for firefighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing.		
Other information	Refer to protective measures listed in Sections 7 and 8.		
For emergency responders	Use personal protection recommended in Section 8.		
6.2. Environmental precautions			
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.		
6.3. Methods and material for containment and cleaning up			
Methods for containment			
	Do not use cloths for mopping up. Flood with water to complete polymerization and scrape off floor.		
Methods for cleaning up			
	scrape off floor. Take precautionary measures against static discharges. Dam up. Soak up with inert		
Methods for cleaning up	scrape off floor. Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.		

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact Advice on safe handling with skin, eyes or clothing. Use personal protection equipment. Do not eat, drink or smoke when using this product. See section 8 for more information. Take off contaminated clothing and wash it before reuse. Ensure adequate ventilation. Avoid breathing vapours or mists. In case of insufficient ventilation, wear suitable respiratory equipment. **General hygiene considerations** Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. 7.2. Conditions for safe storage, including any incompatibilities **Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. **Recommended storage** For optimum shelf life store in original containers under refrigerated conditions at 2 - 8°C. temperature 7.3. Specific end use(s)

BOSTIK SUPER GLUE EASY FLOW

Supercedes Date: 24-Oct-2022

Specific use(s) This product is a cyanoacrylate-based adhesive.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom
ethyl-2-cyanoacrylate	-	STEL: 0.3 ppm
7085-85-0		STEL: 1.5 mg/m ³
Hydroquinone	-	TWA: 0.5 mg/m ³
123-31-9		STEL: 1.5 mg/m ³

Derived No Effect Level (DNEL)

No information available

Derived No Effect Level (DNEL)				
Hydroquinone (123-31-9)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Long term Systemic health effects	Dermal	3.33 mg/kg bw/d		
worker Long term Systemic health effects	Inhalation	2.1 mg/m ³		

Derived No Effect Level (DN	EL)				
Hydroquinone (123-31-9)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Dermal	1.66 mg/kg bw/d			
Consumer Long term Systemic health effects	Inhalation	1.05 mg/m³			
Consumer Long term Systemic health effects	Oral	0.6 mg/kg bw/d			

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)		
Hydroquinone (123-31-9)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	0.57 μg/l	
Freshwater - intermittent	1.34 μg/l	
Marine water	0.057 μg/l	
Freshwater sediment	0.0049 mg/kg dry weight	
Marine sediment	0.00049 mg/kg dry weight	
Soil	0.00064 mg/kg dry weight	

BOSTIK SUPER GL	UE EASY FLOW
Supercedes Date:	24-Oct-2022

Revision date 02-May-2023 Revision Number 1.04

Sewage treatment plant	0.71 mg/l
8.2. Exposure controls	
Engineering controls	Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be exhausted directly at the point of origin.
Personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.
Hand protection	Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be replaced regularly and if there is any sign of damage to the glove material.
Skin and body protection Respiratory protection	Wear suitable protective clothing. None under normal use conditions.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties **Physical state** Liquid Appearance Liquid Colour Colourless Odour Characteristic. No information available **Odour threshold** Valu<u>es</u> Remarks • Method **Property** Melting point / freezing point No data available Initial boiling point and boiling > 149 °C range Flammability Not applicable for liquids . Flammability Limit in Air None known Upper flammability or explosive No data available limits Lower flammability or explosive No data available limits Flash point > 80 °C Autoignition temperature No data available None known **Decomposition temperature** None known None known. No data available pН pH (as aqueous solution) No data available None known **Kinematic viscosity** No data available None known Dynamic viscosity No data available Water solubility Reacts with water. Polymerisation can occur Solubility(ies) No data available None known No data available None known Partition coefficient Vapour pressure No data available None known **Relative density** No data available None known **Bulk Density** No data available Liquid Density 1.05 g/cm3 Relative vapour density No data available None known **Particle characteristics** No information available **Particle Size Particle Size Distribution** No information available 9.2. Other information Solid content (%) No information available **VOC content** No data available

BOSTIK SUPER GLUE EASY FLOW

Supercedes Date: 24-Oct-2022

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and re	activity
10.1. Reactivity	
Reactivity	No information available.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
10.3. Possibility of hazardous reac	<u>tions</u>
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Protect from moisture.
10.5. Incompatible materials	
Incompatible materials	Alcohols. Alkali. Amines. Water.
10.6. Hazardous decomposition pro	oducts
Hazardous decomposition products	None under normal use conditions.
SECTION 11: Toxicological i	nformation
11.1. Information on hazard class	es as defined in Regulation (EC) No 1272/2008
Information on likely routes of exp	osure
Product Information	
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Bonds skin and eyes in seconds. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. Bonds skin and eyes in seconds. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

BOSTIK SUPER GLUE EASY FLOW Supercedes Date: 24-Oct-2022

Symptoms

Redness. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>5000 mg/kg
ATEmix (dermal)	>5000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	>20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ethyl-2-cyanoacrylate	>5000 mg/kg (Rattus) OECD	>2000 mg/Kg (Oryctolagus	<21.1 mg/L (Rattus) 1 h
	401	cuniculus) OECD 402	-
Hydroquinone	390 mg/kg (Rattus)	= 74800 mg/kg (Oryctolagus	-
		cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classifica	tion based on data availa	able for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classifica	tion based on data availa	able for ingredients. Causes serious eye irritation.
Respiratory or skin sensitisation	Based on	available data, the class	sification criteria are not met.
Germ cell mutagenicity	Based on	available data, the class	sification criteria are not met.
Component Information Hydroquinone (123-31-9)			
Method		Species	Results
OECD Test No. 476: In vitro Mammalian Cell Gene Mutation Test		Mouse	Mutagenic
The table below indicates ingredients	s above the	cut-off threshold conside	ered as relevant which are listed as mutagenic.

Chemical name	European Union
Hydroquinone	Muta. 2

Carcinogenicity

Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component Information Hydroquinone (123-31-9)		
Method	Species	Results
OECD Test No. 453: Combined Chronic	Rat	Limited evidence of a carcinogenic
Toxicity/Carcinogenicity Studies		effect

Chemical name	European Union
Hydroquinone	Carc. 2

Reproductive toxicity	Based on available data, the classification criteria are not met.		
STOT - single exposure	May cause respiratory irritation.		
STOT - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
11.2. Information on other hazards			
11.2.1. Endocrine disrupting properties			
Endocrine disrupting properties	No information available.		
11.2.2. Other information			
Other adverse effects	No information available.		

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
ethyl-2-cyanoacrylate 7085-85-0	polymerizes	polymerizes	-	-		
Hydroquinone 123-31-9	EC50: =0.335mg/L (72h, Pseudokirchneri ella subcapitata)	,		EC50: =0.29mg/L (48h, Daphnia magna)	10	1

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Hydroquinone	0.59

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

BOSTIK SUPER GLUE EASY FLOW

Supercedes Date: 24-Oct-2022

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
ethyl-2-cyanoacrylate	The substance is not PBT / vPvB PBT assessment does
	not apply
Hydroquinone	The substance is not PBT / vPvB PBT assessment does
	not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers. Handle contaminated packages in the same way as the product itself.
Waste codes / waste designations according to EWC	15 01 10*: Packaging containing residues of or contaminated by dangerous substances. 16 03 03* inorganic wastes containing hazardous substances. 16 05 05 gases in pressure containers other than those mentioned in 16 05 04. Waste codes should be assigned by the user based on the application for which the product was used.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1	UN number or ID number	Not regulated		
14.2	UN proper shipping name	Not regulated		
14.3	Transport hazard class(es)	Not regulated		
14.4	Packing group	Not regulated		
14.5	Environmental hazards	Not applicable		
14.6	Special precautions for user			
Special Provisions		None		
IMDG				
14.1	UN number or ID number	Not regulated		
14.2	UN proper shipping name	Not regulated		
14.3	Transport hazard class(es)	Not regulated		
14.4	Packing group	Not regulated		
14.5	Marine pollutant	NP		
14.6	Special precautions for user			
Special Provisions None				
14.7	Maritime transport in bulk			
	-			

BOSTIK SUPER GLUE EASY FLOW Supercedes Date: 24-Oct-2022

according to IMO instruments Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	
Special Provisions		None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

BOSTIK SUPER GLUE EASY FLOW Supercedes Date: 24-Oct-2022

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred H302 - Harmful if swallowed H315 - Causes skin irritation H317 - May cause an allergic skin re H318 - Causes serious eye damage H319 - Causes serious eye irritation H335 - May cause respiratory irritatio H341 - Suspected of causing genetic H351 - Suspected of causing cancer H400 - Very toxic to aquatic life	eaction on c defects			
H410 - Very toxic to aquatic life with long lasting effects				
Legend TWA	TWA (time-weighted average)			
STEL	STEL (Short Term Exposure Limit)			
Ceiling	Ceiling Limit Value			
*	Skin designation			
SVHC	Substance(s) of Very High Concern			
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals			
vPvB				
STOT RE	Very Persistent and very Bioaccumulative (vPvB) Chemicals Specific target organ toxicity - Repeated exposure			
STOT SE				
EWC	Specific target organ toxicity - Single exposure			
ADR	European Waste Catalogue			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road			
IMDG				
-	International Maritime Dangerous Goods (IMDG)			
IATA	International Air Transport Association (IATA)			
RID	Regulations concerning the International Transport of Dangerous Goods by Rail			

Key literature references and sou No information available Prepared By Revision date Indication of changes	rces for data Product Safety & Regulatory Affairs 02-May-2023
Revision note	Not applicable.
Training Advice	When working with hazardous materials, regular training of operators is required by law
Further information	No information available

This material safety data sheet complies with requirements of UK REACH Regulations (SI 2019/758 as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet