

# SAFETY DATA SHEET TRIPLE R 5W40 FULLY SYNTHETIC

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name TRIPLE R 5W40 FULLY SYNTHETIC

Product number XRF001, XRF004

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Supplier TETROSYL EUROPE

79 rue du chemin vert

59.273 Fretin

TEL: 03 20 28 06 30

qualite@tetrosyl-france.com

Manufacturer TETROSYL LIMITED

Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com

#### 1.4. Emergency telephone number

**Emergency telephone** +44 (0)161 764 5981

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements EUH208 Contains CALCIUM LONG CHAIN ALKARYL SULFONATE, ALKYL (C18-C28)

TOLUENESULFONIC ACID, CALCIUM SALTS, BORATED. May produce an allergic reaction.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

## 2.3. Other hazards

Not applicable.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## TRIPLE R 5W40 FULLY SYNTHETIC

## DISTILLATES, HYDROTREATED HEAVY PARAFFINIC

60-100%

<3% DMSO EXTRACT (IP 346)

CAS number: 64742-54-7

EC number: 265-157-1

UK REACH registration number: UK-01-

1759217276-5-0000

Classification

Asp. Tox. 1 - H304

The full text for all hazard statements is displayed in Section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General information Get medical attention if any discomfort continues. Remove affected person from source of

contamination. Move affected person to fresh air and keep warm and at rest in a position

comfortable for breathing.

Inhalation If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing.

**Ingestion** Contact physician if larger quantity has been consumed. Rinse mouth thoroughly with water.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Get medical

attention if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Do not rub eye.

## 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure. Effects may be delayed. Keep affected person under observation.

**Inhalation** May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue,

dizziness and nausea.

**Ingestion** May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause nausea,

headache, dizziness and intoxication.

**Skin contact** Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Allergic

rash.

**Eye contact** May cause temporary eye irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor 
No specific recommendations. If in doubt, get medical attention promptly.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-

extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

## 5.2. Special hazards arising from the substance or mixture

Specific hazards Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion

hazards noted.

## TRIPLE R 5W40 FULLY SYNTHETIC

Hazardous combustion

products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.

## 5.3. Advice for firefighters

Special protective equipment

Leave danger zone immediately.

for firefighters

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours. Avoid contact with eyes and prolonged skin contact. Provide adequate ventilation. In case of spills, beware of slippery floors and surfaces.

#### 6.2. Environmental precautions

**Environmental precautions** 

Avoid discharge into drains or watercourses or onto the ground. Collect and dispose of spillage as indicated in Section 13.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Stop leak if possible without risk. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.

#### 6.4. Reference to other sections

Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Usage precautions

Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Avoid the formation of mists. Provide adequate ventilation. Avoid contact with skin and eyes. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Keep containers upright. Store in tightly-closed, original container.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure controls/Personal protection

## 8.1. Control parameters

## Occupational exposure limits

No exposure limits known for ingredient(s).

DISTILLATES, HYDROTREATED HEAVY PARAFFINIC < 3% DMSO EXTRACT (IP 346) (CAS: 64742-54-7)

## TRIPLE R 5W40 FULLY SYNTHETIC

**DNEL** Workers - Inhalation; Long term systemic effects: 2.73 mg/m³

Workers - Dermal; Long term systemic effects: 0.97 mg/kg

General population - Oral; Long term systemic effects: 0.74 mg/kg

Workers - Inhalation; Long term local effects: 5.58 mg/m³ General population - Inhalation; Long term local effects: 1.19 mg/m³

## HINDERED ALKYLPHENOL, ESTER (CAS: 125643-61-0)

**DNEL** General population - Oral; Short term systemic effects: 50 mg/kg

General population - Inhalation; Short term systemic effects: 875 mg/m³ General population - Dermal; Short term local effects: 8.33 mg/cm² General population - Dermal; Short term systemic effects: 50 mg/kg General population - Dermal; Long term systemic effects: 4.3 mg/kg General population - Oral; Long term systemic effects: 0.93 mg/kg General population - Inhalation; Long term systemic effects: 1.62 mg/m³

Workers - Dermal; Short term systemic effects: 100 mg/kg Workers - Inhalation; Long term systemic effects: 6.6 mg/kg Workers - Dermal; Long term systemic effects: 1.67 mg/kg Workers - Dermal; Short term local effects: 16.67 mg/cm<sup>2</sup>

PNEC Sediment (Freshwater); 233 mg/kg

Sediment (Marinewater); 23.3 mg/kg

marine water; 0.002 mg/l Fresh water; 0.03 mg/l

STP; 100 mg/l Soil; 189 mg/kg

#### MINERAL OIL - H304 (<3% DMSO EXTRACT, IP 346) (CAS: 64742-55-8)

**DNEL** Workers - Dermal; Long term systemic effects: 0.97 mg/kg

Workers - Inhalation; Long term local effects: 5.58 mg/m³ Workers - Inhalation; Long term systemic effects: 2.73 mg/m³ General population - Oral; Long term systemic effects: 0.74 mg/kg General population - Inhalation; Long term local effects: 1.19 mg/m³

#### 8.2. Exposure controls

## Protective equipment







Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.

Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination.

## TRIPLE R 5W40 FULLY SYNTHETIC

Hygiene measures Wash contaminated clothing before reuse. Wash promptly with soap and water if skin

becomes contaminated.

**Respiratory protection** No specific recommendations.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Brown.

Odour Oil-like.

Melting point Not determined.

Initial boiling point and range >250°C
Flash point 220°C

**Evaporation rate** Not determined.

Upper/lower flammability or

explosive limits

Not determined.

Vapour pressure Not determined.

Vapour density Not determined.

Relative density 0.865g/cm³ @ °C

Solubility(ies) Insoluble in water.

Partition coefficient Not determined.

**Auto-ignition temperature** Not determined.

**Decomposition Temperature** Not determined.

Viscosity 80 cSt @ 40°C°C

9.2. Other information

Other information None.

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** No particular stability concerns.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous

Not applicable.

reactions

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

#### TRIPLE R 5W40 FULLY SYNTHETIC

## 10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended.

products

#### SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

**Toxicological effects**No information available.

#### SECTION 12: Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish Not available.

Acute toxicity - aquatic Not available.

invertebrates

## 12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

## 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Adsorption/desorption

coefficient

Not available.

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This substance is not classified as PBT or vPvB according to current UK criteria.

## 12.6. Other adverse effects

Other adverse effects Not available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods**Confirm disposal procedures with environmental engineer and local regulations.

## SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

## 14.1. UN number

Not applicable.

## 14.2. UN proper shipping name

Not applicable.

## TRIPLE R 5W40 FULLY SYNTHETIC

## 14.3. Transport hazard class(es)

No transport warning sign required.

## 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

## 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

**Revision comments** NOTE: Lines within the margin indicate significant changes from the previous revision.

Issued by Regulatory Department

Revision date 20/06/2022

Revision 9

Supersedes date 26/01/2022 SDS status Approved.

Hazard statements in full H304 May be fatal if swallowed and enters airways.

EUH208 Contains CALCIUM LONG CHAIN ALKARYL SULFONATE, ALKYL (C18-C28) TOLUENESULFONIC ACID, CALCIUM SALTS, BORATED. May produce an allergic reaction.