Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 10/05/2019 Version: 3.0

Rentokil

SECTION 1: Identification of the si 1.1. Product identifier	ubstance/mixture and of the company/undertaking
Product form	: Mixture
Product name	: FLEA KILLER SPRAY
Product name	: PSF200 300ml
Type of product	: PSF200 S00mi
	HSE 10023, PCS 98297
Registration No	
Vaporizer Bradust graup	: Aerosol
Product group	: Product
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
1.2.1. Relevant identified uses	
Intended for general public	
Main use category	: Consumer use
Use of the substance/mixture	: A surface spray for use on surfaces and carpets to kill Fleas in the home.
Use of the substance/mixture	: Insecticide
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safe	ty data sheet
Supplier	National Contact
Rentokil Initial Supplies Liverpool	For UK:
Liverpool L33 7SR	Rentokil Initial Supplies
UK	Liverpool
Draduat advice lines 144 (0)151 540 5050	L33 7SR
Product advice line: +44 (0)151 548 5050 Email: sds@rentokil.com	UK
	For local de
	For Ireland:
	Rentokil Initial,
	Hazel House,
	Millennium Park,

1.4. Emergency telephone number

Emergency number	: +	44 (0)1342 833022		
Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

Naas, Co Kildare,

Tel: +353 (0)45 850 799

Ireland

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222;H229
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400
Hazardous to the aquatic environment — Chronic Hazard, Category 1	H410

Full text of H statements : see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1 Hazard pictograms (CLP)	272/2008 [CLP]
Signal word (CLP)	: Danger
Hazard statements (CLP)	 H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use P273 - Avoid release to the environment. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 - Dispose of contents/container to normal household waste. However if used in a place of work any product and empty container must be disposed of as controlled waste.
EUH-statements	: EUH208 - Contains Permethrin. May produce an allergic reaction.
UFI	: 0W4W-R09E-D006-5F91

2.3. Other hazards

No additional information available

SECTION 3: Com	osition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclic, <2% aromatics	(EC-No.) 926-141-6	50 - 75	Asp. Tox. 1, H304
Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] substance with national workplace exposure limit(s) (GB, IE)	(CAS-No.) 68476-85-7 (EC-No.) 270-704-2 (EC Index-No.) 649-202-00-6	>= 25	Flam. Gas 1, H220 Press. Gas (Liq.), H280
Permethrin	(CAS-No.) 52645-53-1 (EC-No.) 258-067-9 (EC Index-No.) 613-058-00-2	0.46	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410 (M=1000)
d-Allethrin	(CAS-No.) 231937-89-6	0.13	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
1,3-butadiene; buta-1,3-diene substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB, IE)	(CAS-No.) 106-99-0 (EC-No.) 203-450-8 (EC Index-No.) 601-013-00-X	< 0.1	Flam. Gas 1, H220 Press. Gas Muta. 1B, H340 Carc. 1A, H350

Full text of H-statements: see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH)	vitn its amendment Regulation (EU) 2015/830
SECTION 4: First aid measures	
4.1. Description of first aid measures	· Nover give epything by mouth to an unconceive person. If you feel unwell, each mediael
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Repeated exposure may cause skin dryness or cracking.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	ubstance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chamical fire. Brought fire fighting water from opticing the environment
Drotaction during firefighting	chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting Other information	 Do not enter fire area without proper protective equipment, including respiratory protection. Do not allow run-off from fire fighting to enter drains or water courses.
SECTION 6: Accidental release mea	
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Noti	fy authorities if liquid enters sewers or public waters. Avoid release to the environment.
6.3. Methods and material for containm	ent and cleaning up
Methods for cleaning up	: Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See also sections 8 and 13. Exposure controls	and personal protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or
	smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
7.9 Conditions for onfo storens includ	
7.2. Conditions for safe storage, includ Storage conditions	: Protect from heat and direct sunlight. Keep out of reach of children. Keep only in the original
Storage conditions	container in a cool well ventilated place. Keep away from food, drink and animal feedingstuffs. Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	
Insecticide.	
	sonal protection
SECTION 8: Exposure controls/pers	
8.1. Control parameters	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1,3-butadiene; buta-1,3-diene (106-99-0)		
EU	Local name	1,3-Butadiene
EU	IOELV TWA (mg/m ³)	2.2 mg/m ³
EU	IOELV TWA (ppm)	1 ppm
EU	Notes	SCOEL Recommendations (2007)
Ireland	Local name	Buta-1,3-diene
Ireland	OEL (8 hours ref) (mg/m ³)	2.2 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	1 ppm
Ireland	Notes (IE)	Carc.1A, Muta.1B
United Kingdom	Local name	Buta-1,3-diene
United Kingdom	WEL TWA (mg/m ³)	22 mg/m ³
United Kingdom	WEL TWA (ppm)	10 ppm
United Kingdom	Remark (WEL)	Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49–51)
Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] (68476-85-7)		

Ireland	Local name	Liquefied petroleum gas (LPG)
Ireland	OEL (8 hours ref) (mg/m ³)	1800 mg/m³
Ireland	OEL (8 hours ref) (ppm)	1000 ppm
Ireland	OEL (15 min ref) (mg/m3)	2250 mg/m³
Ireland	OEL (15 min ref) (ppm)	1250 ppm
United Kingdom	Local name	Liquefied petroleum gas
United Kingdom	WEL TWA (mg/m ³)	1750 mg/m³
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	WEL STEL (mg/m³)	2180 mg/m ³
United Kingdom	WEL STEL (ppm)	1250 ppm
United Kingdom	Remark (WEL)	Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49–51) (only applies if LPG contains more than 0.1% of buta-1,3-diene)

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

None necessary during normal handling and use.

Eye protection:

None necessary during normal handling and use.

Respiratory protection:

None necessary during normal handling and use.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemica	al properties		
1.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Appearance	: Colourless liquid.		
Colour	: Colourless.		
Odour	: characteristic.		
Odour threshold	: No data available		
рН	: No data available		
Relative evaporation rate (butylacetate=1)	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
40/05/0040		0D0 D-6 1040	4/4.0

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Boiling point	: -245 °C for aerosol propellant
Flash point	: <-40 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: immiscible.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
Additional information	· Discharge rate 1.7g/sec at 20degreesC. Net fill weight (for aerosols) 232g

Additional information

: Discharge rate 1.7g/sec at 20degreesC. Net fill weight (for aerosols) 232g.

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
The pro	duct is stable at normal handling and storage conditions.
10.2.	Chemical stability
Extreme	ely flammable aerosol.
10.3.	Possibility of hazardous reactions
The pro	duct is stable at normal handling and storage conditions.
10.4.	Conditions to avoid
Direct su	unlight. Extremely high or low temperatures.
10.5.	Incompatible materials
Do not s	spray on naked flame or any incandescent material. Strong acids. Strong bases.
10.6.	Hazardous decomposition products
Fume. C	Carbon monoxide. Carbon dioxide.
SECT	ION 11: Toxicological information

11.1. Information on toxicological e	ffects	
Acute toxicity	: Not classified	
Permethrin (52645-53-1)		
LD50 dermal rat	> 2000 mg/kg bodyweight	
d-Allethrin (231937-89-6)		
LD50 oral rat	1000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
LC50 inhalation rat (mg/l)	> 5.77 mg/l/4h	
Skin corrosion/irritation	: Not classified	
Additional information	: Repeated exposure may cause skin dryness or cracking.	
Serious eye damage/irritation	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Respiratory or skin sensitisation	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Germ cell mutagenicity	: Not classified	
	Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Reproductive toxicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
STOT-single exposure	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
10/05/2019	EN (English) SDS Ref.: 1318	5/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT-repeated exposure Additional information	: Not classified : Based on available data, the classification criteria are not met
Aspiration hazard Additional information	: Not classified : Based on available data, the classification criteria are not met
FLEA KILLER SPRAY	
Vaporizer	Aerosol
Potential adverse human health effects and	: Based on available data, the classification criteria are not met.

nto

symptoms	
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - water	: Very toxic to aquatic life with long lasting effects.
Permethrin (52645-53-1)	
LC50 fish 1	0.0089 mg/l 96 hrs
LC50 fish 2	0.145 mg/l 96 hrs
EC50 Daphnia 1	0.02 mg/l 24 hrs
ErC50 (algae)	> 0.011 mg/l 72 hrs
d-Allethrin (231937-89-6)	
LC50 fish 1	0.0000708 g/l
EC50 Daphnia 1	0.000061 g/l
12.2. Persistence and degradability	
FLEA KILLER SPRAY	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
FLEA KILLER SPRAY	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessmen	t
No additional information available	
12.6. Other adverse effects	
Additional information	: Avoid release to the environment.
SECTION 13: Disposal considerations	S
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: This product is for amateur use and can be disposed of as normal household waste. However, if used in a place of work, any product and empty container must be disposed of as controlled waste.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
In accordance with ADR / IMDG / IATA / ADN / RI	D
14.1. UN number	
UN-No. (ADR)	: 1950
UN-No. (IMDG)	: 1950
UN-No. (IATA)	: 1950
UN-No. (ADN)	: 1950
UN-No. (RID)	: 1950
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	

Proper Shipping Name (ADR)	: AEROSOLS		
Proper Shipping Name (IMDG)	: AEROSOLS		
Proper Shipping Name (IATA)	: Aerosols, flammable		
Proper Shipping Name (ADN)	: AEROSOLS		
Proper Shipping Name (RID)	: AEROSOLS		
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1,	(D), ENVIRONMENTALLY HAZARDOUS	
10/05/2019	EN (English)	SDS Ref.: 1318	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)	
	. 24
Transport hazard class(es) (ADR) Danger labels (ADR)	: 2.1 : 2.1,
	,
IMDG	
Transport hazard class(es) (IMDG)	: 2.1
Danger labels (IMDG)	: 2.1,
	• • •
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 2.1
Hazard labels (IATA)	: 2.1,
	$\langle \underline{\mathbf{v}} \rangle \langle \mathbf{v} \rangle \langle \underline{\mathbf{x}}_2 \rangle$
	• • •
ADN	
Transport hazard class(es) (ADN)	: 2.1
Danger labels (ADN)	: 2.1,
	\bullet \bullet \checkmark
RID	
Transport hazard class(es) (RID)	: 2.1
Danger labels (RID)	: 2.1
	\mathbf{v} \vee
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.5.	Environmental hazards		
Dangero	us for the environment	: Yes	
Marine p	ollutant	: Yes	
Other inf	ormation	: No supplementary information available	

14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
	: MF9 : 2
Transport category (ADR)	
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading,	: CV9, CV12
unloading and handling (ADR)	
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
- Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69
- Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	
CAO packing instructions (IATA)	: 75kg : 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
 Inland waterway transport 	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
10/05/2019	EN (English)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Type of product (Biocide)

18 - Insecticides, acaricides and products to control other arthropods

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:			
	Date of issue	Modified	
2.2	Precautionary statements (CLP)	Modified	
Data sources	COUNCIL of 16 Dec	ember 2008 on classificatio and repealing Directives 67	ROPEAN PARLIAMENT AND OF THE n, labelling and packaging of substances and /548/EEC and 1999/45/EC, and amending
Other information	: None.		

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aerosol 1	Aerosol, Category 1		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1		
Asp. Tox. 1	Aspiration hazard, Category 1		
Carc. 1A	Carcinogenicity, Category 1A		
Flam. Gas 1	Flammable gases, Category 1		
Muta. 1B	Germ cell mutagenicity, Category 1B		
Press. Gas	Gases under pressure		
Press. Gas (Liq.)	Gases under pressure : Liquefied gas		
Skin Sens. 1	Skin sensitisation, Category 1		
H220	Extremely flammable gas.		
H222	Extremely flammable aerosol.		
H229	Pressurised container: May burst if heated.		
H280	Contains gas under pressure; may explode if heated.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H317	May cause an allergic skin reaction.		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H332	Harmful if inhaled.			
H340	May cause gene	May cause genetic defects.		
H350	May cause canc	May cause cancer.		
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
EUH208	Contains Permethrin. May produce an allergic reaction.			
Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Aerosol 1	H222;H229 On basis of test data			
Aquatic Acute 1	H400 Annex VII conversion			
Aquatic Chronic 1	H410 Calculation method			

RI - SDS EU (REACH Annex II) CLP

Before using any product, ensure that you read and understand its label.

The information contained in this safety data sheet is, to the best of our knowledge and belief, accurate and reliable at the time of publication. The information relates only to the specific material designated in this safety data sheet and may not be valid for such material if it is used in combination with any other material(s) or any other use than that specified herein. Neither Rentokil Initial pic nor any of its subsidiaries accepts any liability for the use of this product for any other purpose than that described in this safety data sheet. This does not affect your statutory rights. It is the user's responsibility to satisfy him/herself as to the suitability in completeness of such information for his/her own particular use.

Copyright © (2019) Rentokil Initial plc, Rentokil Initial Power Centre, Unit A1 & A2 Link 10, Napier Way, Crawley, RH10 9RA. United Kingdom. Telephone: +44 (0) 1342 833022