

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK THE DOG'S B\*LL\*CKS WHITE Supercedes Date: 09-Nov-2022 Revision date 03-Apr-2023 Revision Number 4.01

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1	.1	Ρ	ro	dι	ict	identifier	
_							

Product Name EVO-STIK THE DOG'S B\*LL\*CKS WHITE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Sealant

Uses advised against None known

# 1.3. Details of the supplier of the safety data sheet

Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

United Kingdom

Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri) NHS: 111

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

# 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

### Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

### **EU Specific Hazard Statements**

EUH210 - Safety data sheet available on request

EUH208 - Contains Trimethoxyvinylsilane & Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine. May produce an allergic reaction

# **EVO-STIK THE DOG'S B\*LL\*CKS WHITE**

Supercedes Date: 09-Nov-2022

# Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand P102 - Keep out of reach of children

### 2.3. Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Harmful to aquatic life.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Trimethoxyvinylsilane	(014-049-00- 0) 220-449-8	2768-02-7	1 - <2.5	Skin Sens. 1B (H317) Acute Tox. 4 (H332) Flam. Liq. 3 (H226)	-	01-2119513215- 52-XXXX
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine	309-629-8	100545-48-0	0.1- <1	Skin Sens. 1B (H317)	Skin Sens. 1 :: C>=25%	01-2119979085- 27-XXXX
Titanium dioxide	(022-006-00- 2) 236-675-5	13463-67-7	0.1- <1	[C]	-	01-2119489379- 17-XXXX
Dioctyltin oxide	212-791-1	870-08-6	0.1 - <0.5	STOT SE 2 (H371)	-	01-2119971268- 27-xxxx
Bis(2,2,6,6-tetramethyl-4 -piperidyl) sebacate	258-207-9	52829-07-9	0.1 - <0.3	Eye Dam. 1 (H318) Repr. 2 (H361f) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	-	01-2119537297- 32-XXXX
Ethyl silicate	(014-005-00- 0) 201-083-8	78-10-4	0.1 - <0.3	Acute Tox. 4 (H332) Eye Irrit. 2 (H319) STOT SE 3 (H335) Flam. Liq. 3 (H226)	-	01-2119496195- 28-xxxx

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

### EVO-STIK THE DOG'S B\*LL\*CKS WHITE Supercedes Date: 09-Nov-2022

# Full text of H- and EUH-phrases: see section 16

# Air contaminants formed when using the substance or mixture as intended

Chemical name	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	REACH registration number
Methyl alcohol 67-56-1	(603-001-00-X) 200-659-6	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	_	-	01-2119433307- 44-XXXX

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# Notes

See section 16 for more information

Chemical name	Notes
Titanium dioxide - 13463-67-7	V,W,10

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.					
Inhalation	Remove to fresh air. If symptoms persist, call a doctor.					
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.					
Ingestion	Call a doctor immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Small amounts of toxic methanol are released by hydrolysis.					
4.2. Most important symptoms and	d effects, both acute and delayed					
Symptoms	None known.					
4.3. Indication of any immediate m	4.3. Indication of any immediate medical attention and special treatment needed					
Note to doctors	Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.					

# SECTION 5: Firefighting measures

# EVO-STIK THE DOG'S B\*LL\*CKS WHITE

Supercedes Date: 09-Nov-2022

5.1. Extinguishing media_	
Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.
Unsuitable extinguishing media	Full water jet.
5.2. Special hazards arising from the	ne substance or mixture
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapours.
Hazardous combustion products	Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide.
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.
SECTION 6: Accidental relea	ise measures
6.1. Personal precautions, protecti	ve equipment and emergency procedures
Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.
6.3. Methods and material for conta	ainment and cleaning up
Methods for containment	Do not scatter spilled material with high pressure water streams.
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	_
Advice on safe handling	Ensure adequate ventilation.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage Conditions	Protect from moisture. Keep away from food, drink and animal feedingstuffs.
Recommended storage temperature	Keep at temperatures between 10 and 35 °C.
7.3. Specific end use(s)	

EVO-STIK THE DOG'S B\*LL\*CKS WHITE Supercedes Date: 09-Nov-2022

Specific use(s) Sealant.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information

Observe technical data sheet.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### **Exposure Limits**

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
	*	STEL: 250 ppm
		STEL: 333 mg/m <sup>3</sup>
		Sk*
Titanium dioxide	-	TWA: 10 mg/m <sup>3</sup>
13463-67-7		TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>
Dioctyltin oxide	-	TWA: 0.1 mg/m <sup>3</sup>
870-08-6		STEL: 0.2 mg/m <sup>3</sup>
		Sk*
Ethyl silicate	TWA: 44 mg/m <sup>3</sup>	TWA: 5 ppm
78-10-4	TWA: 5 ppm	TWA: 44 mg/m <sup>3</sup>
		STEL: 15 ppm
		STEL: 132 mg/m <sup>3</sup>

Chemical name	European Union	Ireland	United Kingdom
Methyl alcohol	-	15 mg/L (urine - Methanol end of	-
67-56-1		shift)	

# Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)							
Trimethoxyvinylsilane (2768-02-7)							
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor				
worker Systemic health effects Long term	Inhalation	27,6 mg/m³					
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d					

Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)					
Туре	Exposure route	Derived No Effect Level	Safety factor		
		(DNEL)			
worker	Inhalation	3.35 mg/m³			
Long term					
Local health effects					

### Titanium dioxide (13463-67-7)

# EVO-STIK THE DOG'S B\*LL\*CKS WHITE

Supercedes Date: 09-Nov-2022

Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor				
worker Long term Local health effects	Inhalation	10 mg/m <sup>3</sup>					

Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Dermal	0.05 mg/kg bw/d	
worker Long term Systemic health effects	Inhalation	0.004 mg/m <sup>3</sup>	

Bis(2,2,6,6-tetramethyl-4-pip	eridyl) sebacate (52829-07-	·9)	
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Short term	Inhalation	2.82 mg/m³	
Long term Systemic health effects			
worker Long term Systemic health effects	Dermal	1.6 mg/kg	

Ethyl silicate (78-10-4)	Ethyl silicate (78-10-4)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Short term Systemic health effects	Dermal	12.1 mg/kg bw/d		
worker Systemic health effects Long term	Dermal	12.1 mg/kg bw/d		
worker Short term Systemic health effects	Inhalation	85 mg/m³		
worker Short term Local health effects	Inhalation	85 mg/m³		
worker Long term Systemic health effects	Inhalation	85 mg/m³		
worker Long term Local health effects	Inhalation	85 mg/m³		

Derived No Effect Level (DNEL)				
Trimethoxyvinylsilane (2768-02-7	()			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m³		
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d		

# EVO-STIK THE DOG'S B\*LL\*CKS WHITE

Supercedes Date: 09-Nov-2022

Consumer	Oral	0,3 mg/kg bw/d	
Systemic health effects			
Long term			
Octadecanoic acid, 12-hydro	oxy-, reaction products with	ethylenediamine (100545-48-0)	
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer	Inhalation	0.83 mg/m <sup>3</sup>	
Long term		_	
Titanium dioxide (13/63-67-3	7)		

l itanium dioxide (13463-67-7)			
Туре	Exposure route	Derived No Effect Level	Safety factor
		(DNEL)	-
Consumer	Oral	700 mg/kg bw/d	
Long term			
Systemic health effects			

Dioctyltin oxide (870-08-6)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	0.0005 mg/kg bw/d	
Consumer Long term Systemic health effects	Dermal	0.025 mg/kg bw/d	
Consumer Long term Systemic health effects	Inhalation	0.0009 mg/m³	

Bis(2,2,6,6-tetramethyl-4-piperidy	l) sebacate (52829-07-9)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Dermal	0.8 mg/kg	
Consumer Long term Systemic health effects	Oral	0.4 mg/kg	

Ethyl silicate (78-10-4)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Short term Systemic health effects	Dermal	8.4 mg/kg bw/d		
Consumer Long term Systemic health effects	Dermal	8.4 mg/kg bw/d		
Consumer Short term Systemic health effects	Inhalation	25 mg/m³		
Consumer Short term Local health effects	Inhalation	25 mg/m³		
Consumer Long term Systemic health effects	Inhalation	25 mg/m³		
Consumer Long term	Inhalation	25 mg/m³		

# **EVO-STIK THE DOG'S B\*LL\*CKS WHITE**

Supercedes Date: 09-Nov-2022

Local boalth offects		
Local health effects		

# Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
Trimethoxyvinylsilane (2768-02-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l
Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l
Titanium dioxide (13463-67-7)	
	Predicted No Effect Concentration (PNEC)
Environmental compartment Marine water	
	0.0184 mg/l
Freshwater sediment	1000 mg/kg
Freshwater	0.184 mg/l
Marine sediment	100 mg/kg
Soil	100 mg/kg
Microorganisms in sewage treatment	100 mg/l
Freshwater - intermittent	0.193 mg/l
Dioctyltin oxide (870-08-6)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater sediment	0.02798 mg/kg dry weight
Marine sediment	0.002798 mg/kg dry weight
Microorganisms in sewage treatment	100 mg/l
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (	52829-07-9)
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.018 mg/l
Marine water	0.0018 mg/l
Freshwater sediment	29 mg/kg
Marine sediment	2.9 mg/kg
Soil	5.9 mg/kg
Ethyl silicate (78-10-4)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0 192 mg/l

Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.192 mg/l
Marine water	0.0192 mg/l
Freshwater sediment	0.18 mg/kg dry weight
Marine sediment	0.018 mg/kg dry weight
Soil	0.05 mg/kg

# 8.2. Exposure controls

# Engineering controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to
Hand protection	standard EN 166. Wear suitable gloves. Recommended Use:. Neoprene™. Nitrile rubber. Butyl rubber.
	Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374
Skin and body protection	None under normal use conditions.
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation, especially in confined areas.
Recommended filter type:	Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties **Physical state** Solid Appearance Paste White Colour Odour Characteristic. **Odour threshold** No information available Property Values Remarks • Method No data available Melting point / freezing point Initial boiling point and boiling No data available range Flammability No data available Flammability Limit in Air None known Upper flammability or explosive No data available limits Lower flammability or explosive No data available limits Flash point No data available Autoignition temperature No data available **Decomposition temperature** Insoluble in water. pН pH (as aqueous solution) No data available **Kinematic viscosity** No data available Dynamic viscosity 4500 - 7500 Pa.s Spindle Z4U @ 1 rpm @ 23 °C Water solubility Reacts with water. Solubility(ies) No data available Partition coefficient No data available Vapour pressure No data available Relative density 1.44 - 1.52 Bulk Density No data available Liquid Density 1.44 - 1.52 g/cm3 Relative vapour density No data available **Particle characteristics** No information available **Particle Size Particle Size Distribution** No information available 9.2. Other information No information available Solid content (%) VOC content No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

# SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

Product cures with moisture.

10.2. Chemical stability	
Stability	Stable under normal conditions.

EVO-STIK THE DOG'S B\*LL\*CKS WHITE Supercedes Date: 09-Nov-2022

Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
10.3. Possibility of hazardous read	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition pr	oducts
Hazardous decomposition products	Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.
SECTION 11: Toxicological	information
11.1. Information on hazard class	ses as defined in Regulation (EC) No 1272/2008_
Information on likely routes of exp	posure
Product Information	
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met. May cause sensitisation in susceptible persons.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms related to the physical,	chemical and toxicological characteristics

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	126,326.40 mg/kg
ATEmix (dermal)	126,326.40 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	868.80 mg/l

# **Component Information**

# EVO-STIK THE DOG'S B\*LL\*CKS WHITE

Supercedes Date: 09-Nov-2022

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3540 mg/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine	LD50 >2000 mg/kg (Rattus)	-	LC50 > 5.05 mg/kg (Rattus)
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus)4 h
Dioctyltin oxide	=2500 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus) OECD 402	-
Bis(2,2,6,6-tetramethyl-4-piperi dyl) sebacate	LD50 (Rattus)> 2000 mg/kg OECD 423	LD50 (Rattus) > 3 170 mg/kg OECD 402	=500 mg/m <sup>3</sup> (Rattus) 4 h
Ethyl silicate	LD50 > 2500 mg/kg (Rattus) OECD 423	= 5878 mg/kg (Oryctolagus cuniculus) = 6300 μL/kg (Oryctolagus cuniculus)	= 10 mg/L (Rat male)4 h > 16.8 mg/L (Rat female)4 h

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
		Dermal	0.5 mL	24 hours	Non-irritant

#### Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 431: In	EPISKIN™	in vitro	0.02 g	4 hours	Non-irritant
Vitro Skin Corrosion:			-		
Human Skin Model Test					

#### Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	еуе	0.1 mL	72 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

Titanium dioxide (13463-6	7-7)				
Method	Species	Exposure route	Effective dose	Exposure time	Results

# **EVO-STIK THE DOG'S B\*LL\*CKS WHITE**

Supercedes Date: 09-Nov-2022

OECD Test No. 405:	Rabbit	Eye	Non-irritant
Acute Eye			
Irritation/Corrosion			

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye			Eye Damage
Acute Eye					
Irritation/Corrosion					

### Respiratory or skin sensitisation

May produce an allergic reaction. OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses
Sensitisation			were observed

#### Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	sensitising
Sensitisation, Buehler test	-		_

#### Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	Sensitizing > 25 %
Sensitisation			_

### Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	Not a skin sensitiser
Sensitisation			
OECD Test No. 429: Skin	Mouse	Dermal	Not a skin sensitiser
Sensitisation: Local Lymph Node			
Assay			

#### Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig		No sensitisation responses
Sensitisation			were observed

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Component Information Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results			
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic			
Mutation Test					

### Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

# EVO-STIK THE DOG'S B\*LL\*CKS WHITE

Supercedes Date: 09-Nov-2022

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable
Toxicity Study with the		
Reproduction/Developmental Toxicity Screening		
Test		

Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine (100545-48-0)

Method	Species	Results
OECD Test No. 421:	Rat	Not Classifiable
Reproduction/Developmental Toxicity Screening		
Test		

## Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Species	Results
OECD Test No. 414: Pre-natal Development	Rat, Rabbit	reproductive toxicant
Toxicity Study		

### STOT - single exposure

Based on available data, the classification criteria are not met.

#### Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422:	Rat	Oral	5 mg/kg	28 days	0.3 - 0.5 mg/kg
Combined Repeated Dose					bw/d May cause
Toxicity Study with the					damage to the
Reproduction/Developme					following organs:
ntal Toxicity Screening					Immune system
Test					

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL
Sub-chronic Inhalation					
Toxicity: 90-day Study					

### Dioctyltin oxide (870-08-6)

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rat Rabbit			28 days	0.3 -0.5 mg/kg bw/d

Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate(52829-07-9)Aspiration hazardBased on available data, the classification criteria are not met.

# 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

### EVO-STIK THE DOG'S B\*LL\*CKS WHITE Supercedes Date: 09-Nov-2022

# Revision date 03-Apr-2023 Revision Number 4.01

### Ecotoxicity

Harmful to aquatic life.

Trimethoxyvinylsilane 2768-02-7EC 50 (72h) > 957 mg/lLC50 (96h) = 191 mg/l- 168.7mg/l (Daphnia magna)2768-02-7957 mg/l (Desmodesmus subspicatus) EU Method C.3(Oncorhynchus mykiss)168.7mg/l (Daphnia magna)Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine 100545-48-0EL50 (72h) >100 mg/L Algae (Pseudokirchner (Onchohynchus mykiss)LL50 (96h) >Titanium dioxide 13463-67-7LC50 (96h) >Titanium dioxide 870-08-6LC50 (3hr) > 1.000 mg/l (Captring (Captring)LC50 (96hr) >Dioctyltin oxide 870-08-6EC50 (3hr) > 1.000 mg/l (Cateria) (Activated Sludge, (Activated Sludge, Cateria)LC50 (96hr) >Dioctyltin oxide 870-08-6EC50 (3hr) > (Activated Sludge, (Activated Sludge, Cateria)LC50 (96hr) (Cateria) (Activated Sludge, Cateria)-EC50 (48Hr) > -Barbinia (Activated Sludge, Cateria (Activated Sludge, Cateria)LC50 (96hr) (Acute Toxicity Toxity-EC50 (48Hr) > -	Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms		M-Factor	M-Factor (long-term)
Image: Construction of the second service of the second service of the second		```		-			
subspicatus) EU Method C.3mykiss)magna)Octadecanoic acid, 12-hydroxy-, reaction products with 	2768-02-7	0			Ų		
EU Method C.3EU Method C.3Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine 100545-48-0EL50 (72h) >100 mg/L Algae (Pseudokirchner iella subcapitata)LL50 (96h) > >10mg/L (Onchohynchus mykiss)-EL50 (48h) > >10mg/L Daphnia (Daphnia magna)Titanium dioxide 13463-67-7LC50 (96h) > >10000 mg/l (Cyprinodon variegatus) OECD 203Dioctyltin oxide 870-08-6EC50 (3hr) > >1.000 mg/l (bacteria) (Activated Sludge,LC50 (96hr) > >0,09 mg/l (Brachydanio rerio (zebra))EC50 (48Hr) > >0,21 mg/l (Daphnia magna (Dappnia (Dappnia magna))					(Daphnia		
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine 100545-48-0EL50 (72h) >100 mg/L Algae (Pseudokirchner mykiss)LL50 (96h) >10mg/L Daphnia (Daphnia magna)Titanium dioxide 13463-67-7LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203Dioctyltin oxide 870-08-6EC50 (3hr) >1.000 mg/l (Activated Sludge, (Activated (Acute ToxicityLC50 (96hr) >0.09 mg/l (Daphnia conditional (Daphnia conditional (Daphnia conditional (Daphnia conditional conditional (Daphnia conditional cond		. ,	mykiss)		magna)		
12-hydroxy-, reaction products with ethylenediamine 100545-48-0mg/L Algae (Pseudokirchner iella subcapitata)>10mg/L (Onchohynchus mykiss)>10mg/L Daphnia (Daphnia magna)Titanium dioxide 13463-67-7LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203Dioctyltin oxide 870-08-6EC50 (3hr) >1.000 mg/l (bacteria) (Activated Sludge, (Acute ToxicityLC50 (96hr) >0.09 mg/l (Brachydanio rerio (zebra))		EU Method C.3					
products with ethylenediamine 100545-48-0(Pseudokirchner iella subcapitata)(Onchohynchus mykiss)Daphnia (Daphnia magna)Titanium dioxide 13463-67-7LC50 (96h) > 10000 mg/l (Cyprinodon variegatus) OECD 203Dioctyltin oxide 870-08-6EC50 (3hr) > 1.000 mg/l (bacteria) (Activated Sludge,LC50 (96hr) > 0,09 mg/l (Brachydanio rerio (zebra)) (Acute Toxicity-EC50 (48Hr) > 0,21 mg/l (Daphnia magna)				-			
ethylenediamine 100545-48-0iella subcapitata)mykiss)(Daphnia magna)Titanium dioxide 13463-67-7LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203Dioctyltin oxide 870-08-6EC50 (3hr) >1.000 mg/l (bacteria) (Activated Sludge,LC50 (96hr) >0.09 mg/l (Brachydanio rerio (zebra))-EC50 (48Hr) >0.021 mg/l (Daphnia magna)					>10mg/L		
100545-48-0magna)Titanium dioxide 13463-67-7LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203-Dioctyltin oxide 870-08-6EC50 (3hr) >1.000 mg/l (bacteria) (Activated Sludge, (Acute Toxicity-LC50 (Acute Toxicity-LC50 (Dappnia magna)							
Titanium dioxide 13463-67-7LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203Dioctyltin oxide 870-08-6EC50 (3hr) >1.000 mg/l (bacteria) (Activated Sludge, (Acute ToxicityLC50 (96hr) >Dioctyltin oxide 870-08-6EC50 (3hr) >1.000 mg/l (bacteria) (Activated Sludge, (Acute Toxicity-EC50 (48Hr) >0.021 mg/l (Daphnia magna (Dappnia magna))-	ethylenediamine	iella subcapitata)	mykiss)		(Daphnia		
13463-67-7       >10000 mg/l (Cyprinodon variegatus) OECD 203       -       EC50 (48Hr) >0,09 mg/l         Dioctyltin oxide 870-08-6       EC50 (3hr) >1.000 mg/l (bacteria) (Activated Sludge,       LC50 (96hr) >0,09 mg/l       -       EC50 (48Hr) >0,21 mg/l (Daphnia magna (Dappnia magna))	100545-48-0				magna)		
(Cyprinodon variegatus) OECD 203       -       EC50 (48Hr)         Dioctyltin oxide 870-08-6       EC50 (3hr)       LC50 (96hr)       -       EC50 (48Hr)         870-08-6       >1.000 mg/l       >0,09 mg/l       >0,21 mg/l         (bacteria)       (Brachydanio (Activated rerio (zebra))       (Daphnia magna (Dappnia Sludge,       (Dappnia magna))	Titanium dioxide	LC50 (96h)	-	-	-		
variegatus) OECD 203Dioctyltin oxide EC50 (3hr)LC50 (96hr) > 0,09 mg/l-EC50 (48Hr) > 0,21 mg/l870-08-6>1.000 mg/l>0,09 mg/l>0,21 mg/l(bacteria)(Brachydanio (Activated rerio (zebra))(Daphnia magna (Dappnia magna))	13463-67-7	>10000 mg/l					
OECD 203-EC50 (48Hr)Dioctyltin oxide 870-08-6EC50 (3hr) >1.000 mg/lLC50 (96hr) >0,09 mg/l-EC50 (48Hr) >0,21 mg/l(bacteria) (bacteria) (Activated Sludge, Sludge,-EC50 (48Hr) (Daphnia magna (Dappnia magna))		(Cyprinodon					
Dioctyltin oxide 870-08-6EC50 (3hr) >1.000 mg/lLC50 (96hr) >0,09 mg/l-EC50 (48Hr) >0,021 mg/l(bacteria) (Activated Sludge,(Brachydanio (Acute Toxicity)-EC50 (48Hr) >0,21 mg/lSludge,(Acute Toxicity)-Image (Complexity)		variegatus)					
870-08-6>1.000 mg/l>0,09 mg/l>0,21 mg/l(bacteria)(Brachydanio (Activated rerio (zebra))(Daphnia magna (Dappnia magna))		OECD 203					
(bacteria)(Brachydanio (Activated Sludge,(Daphnia magna (Dappnia magna))	Dioctyltin oxide	EC50 (3hr)	LC50 (96hr)	-	EC50 (48Hr)		
(Activated rerio (zebra)) (Dappnia Sludge, (Acute Toxicity magna))	870-08-6	>1.000 mg/l	>0,09 mg/l		>0,21 mg/l		
Sludge, (Acute Toxicity magna))		(bacteria)	(Brachydanio		(Daphnia magna		
		(Activated	rerio (zebra))		(Dappnia		
		Sludge,	(Acute Toxicity		magna))		
		Respiration	Test)		(Daphnia sp.		
Inhibition Test)			,				
					Immobilisation		
Test)					Test)		
Bis(2,2,6,6-tetramethyl- EC50 72Hr LC50 (96h) = - LC50 48Hr 8.58	Bis(2,2,6,6-tetramethyl-	EC50 72Hr	LC50 (96h) =	-	LC50 48Hr 8.58		
4-piperidyl) sebacate 0.705 mg/l 5.29 mg/l mg/l (Daphnia	4-piperidyl) sebacate	0.705 mg/l	5.29 mg/l		mg/l (Daphnia		
52829-07-9 (Pseudokirchner (Oryzias latipes) magna)			(Oryzias latipes)		• • •		
ella subcapitata)		ella subcapitata)					
Ethyl silicate EC 50 (72h) > LC50 (96h)> 245			LC50 (96h)> 245	-	-		
78-10-4 100 mg/L mg/L (Danio							
(Pseudokirchner rerio) EU							
iella subcapitata) Method C.1							
OECD 201							

# 12.2. Persistence and degradability

## Persistence and degradability

No information available.

Trimethoxyvinylsilane (2768-02-7)			
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			-

Dioctyltin oxide (870-08-6)

Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	755 hours	biodegradation	Not readily biodegradable 2
Biodegradability: Manometric			%
Respirometry Test (TG 301 F)			

# Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)

Method	Exposure time	Value	Results
OECD Test No. 303: Simulation Test	28 days	Total organic carbon (TOC)	24 % Moderate
<ul> <li>Aerobic Sewage Treatment A:</li> </ul>			
Activated Sludge Units; B: Biofilms			

# EVO-STIK THE DOG'S B\*LL\*CKS WHITE

Supercedes Date: 09-Nov-2022

### 12.3. Bioaccumulative potential

## Bioaccumulation

# **Component Information**

Chemical name	Partition coefficient
Trimethoxyvinylsilane	1.1
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine	5.86
Dioctyltin oxide	6
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	0.35
Ethyl silicate	3.18

# 12.4. Mobility in soil

Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Trimethoxyvinylsilane	The substance is not PBT / vPvB
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine	The substance is not PBT / vPvB
Titanium dioxide	The substance is not PBT / vPvB PBT assessment does not apply
Dioctyltin oxide	The substance is not PBT / vPvB
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	The substance is not PBT / vPvB
Ethyl silicate	The substance is not PBT / vPvB PBT assessment does
	not apply

# 12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

# 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

# SECTION 14: Transport information

# Land transport (ADR/RID)

EVO-STIK THE DOG'S B\*LL\*CKS WHITE Supercedes Date: 09-Nov-2022

<ul> <li>14.1 UN number or ID number</li> <li>14.2 Proper Shipping Name</li> <li>14.3 Transport hazard class(es)</li> <li>14.4 Packing group</li> <li>14.5 Environmental hazards</li> <li>14.6 Special precautions for user Special Provisions</li> </ul>	Not regulated Not regulated Not regulated Not regulated Not applicable
IMDG	
14.1 UN number or ID number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	NP
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk	
according to IMO instruments	
Transport in bulk according to	Annex II of MARPOL and the IBC Code Not applicable
Air transport (ICAO-TI / IATA-DGR)	
14.1 UN number or ID number	L Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	

# Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### European Union

**Special Provisions** 

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

## Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

None

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Dioctyltin oxide	870-08-6	20.

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

## **Export Notification requirements**

This product contains substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals

# EVO-STIK THE DOG'S B\*LL\*CKS WHITE

Supercedes Date: 09-Nov-2022

Chemical name	European Export/Import Restrictions per (EC) 689/2008 - Annex Number
Dioctyltin oxide	l.1

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

### **Persistent Organic Pollutants**

Not applicable

# National regulations

# 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

# **SECTION 16: Other information**

### Key or legend to abbreviations and acronyms used in the safety data sheet

# Full text of H-Statements referred to under section 3

- H226 Flammable liquid and vapour
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H361f Suspected of damaging fertility
- H400 Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

# Notes relating to the identification, classification and labelling of substances

**Note V:** If the substance is to be placed on the market as fibres (with diameter <  $3 \mu m$ , length >  $5 \mu m$  and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied

**Note W:** It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung

### Notes relating to the classification and labelling of mixtures

**Note 10:** The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq$  10  $\mu$ m

Legend	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by

EVO-STIK THE DOG'S B\*LL\*CKS WHITE Supercedes Date: 09-Nov-2022 Revision date 03-Apr-2023 Revision Number 4.01

IMDG IATA RID	Road International Maritime Dangerous Goods (IMDG) International Air Transport Association (IATA) Regulations concerning the International Transport of Dangerous Goods by Rail
Key literature references and sources for data No information available	
Prepared By	Product Safety & Regulatory Affairs
Revision date	03-Apr-2023
Indication of changes	
Revision note	SDS sections updated, 1.
Training Advice	No information available
Further information	No information available

# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# End of Safety Data Sheet