## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 15/05/2019

Version: 3.0



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

: Mixture Product form

Product name : CLOTHES MOTH KILLER SPRAY

Product code PSC100 300ml Type of product : Biocide

HSE 10024, PCS 98298 Registration No

Vaporizer : Aerosol Product Product group

#### Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

Use of the substance/mixture : A surface spray insecticide for use on surfaces and in wardrobes to kill Clothes Moths in the

home.

Use of the substance/mixture : Insecticide

#### 1.2.2. Uses advised against

No additional information available

#### Details of the supplier of the safety data sheet 1.3.

Supplier

Rentokil Initial Supplies Liverpool

L33 7SR UK

Product advice line: +44 (0)151 548 5050

Email: sds@rentokil.com

**National Contact** For UK:

Rentokil Initial Supplies

Liverpool L33 7SR

UK

For Ireland:

Rentokil Initial, Hazel House. Millennium Park, Naas, Co Kildare,

Ireland

Tel: +353 (0)45 850 799

#### **Emergency telephone number** 1.4.

**Emergency number** : +44 (0)1342 833022

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229 Hazardous to the aquatic environment — Acute Hazard, Category 1 H400 Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410

15/05/2019 EN (English) SDS Ref.: 1317 1/10

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





D.....

Signal word (CLP) : Danger

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated. H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use P273 - Avoid release to the environment.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 - Dispose of contents/container to normal household waste. However if used in a place of

work any product and empty container must be disposed of as controlled waste.

EUH-statements : EUH208 - Contains Permethrin. May produce an allergic reaction.

UFI : KJ7W-E0PQ-V00J-P1C1

#### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclic, <2% aromatics	(EC-No.) 926-141-6	50 - 75	Asp. Tox. 1, H304
Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately—40°C to 80°C (—40°F to 176°F).] substance with national workplace exposure limit(s) (GB, IE)	(CAS-No.) 68476-85-7 (EC-No.) 270-704-2 (EC Index-No.) 649-202-00-6	>= 25	Flam. Gas 1, H220 Press. Gas (Liq.), H280
Permethrin	(CAS-No.) 52645-53-1 (EC-No.) 258-067-9 (EC Index-No.) 613-058-00-2	0.46	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410 (M=1000)
d-Allethrin	(CAS-No.) 231937-89-6	0.13	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
1,3-butadiene; buta-1,3-diene substance with a Community workplace exposure limit substance with national workplace exposure limit(s) (GB, IE)	(CAS-No.) 106-99-0 (EC-No.) 203-450-8 (EC Index-No.) 601-013-00-X	< 0.1	Flam. Gas 1, H220 Press. Gas Muta. 1B, H340 Carc. 1A, H350

Full text of H-statements: see section 16

15/05/2019 EN (English) SDS Ref.: 1317 2/10

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse. Repeated exposure may cause skin dryness or cracking.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Do not allow run-off from fire fighting to enter drains or water courses.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

## 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See also sections 8 and 13. Exposure controls and personal protection.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapour.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from heat and direct sunlight. Keep out of reach of children. Keep only in the original

container in a cool well ventilated place. Keep away from food, drink and animal feedingstuffs.

Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

Insecticide.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

15/05/2019 EN (English) SDS Ref.: 1317 3/10

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1,3-butadiene; buta-1,3-diene (106-99-0)		
EU	Local name	1,3-Butadiene
EU	IOELV TWA (mg/m³)	2.2 mg/m³
EU	IOELV TWA (ppm)	1 ppm
EU	Notes	SCOEL Recommendations (2007)
Ireland	Local name	Buta-1,3-diene
Ireland	OEL (8 hours ref) (mg/m³)	2.2 mg/m³
Ireland	OEL (8 hours ref) (ppm)	1 ppm
Ireland	Notes (IE)	Carc.1A, Muta.1B
United Kingdom	Local name	Buta-1,3-diene
United Kingdom	WEL TWA (mg/m³)	22 mg/m³
United Kingdom	WEL TWA (ppm)	10 ppm
United Kingdom	Remark (WEL)	Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49–51)
Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It		

Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately– 40°C to 80°C (– 40°F to 176°F).] (68476-85-7)

Ireland	Local name	Liquefied petroleum gas (LPG)
Ireland	OEL (8 hours ref) (mg/m³)	1800 mg/m³
Ireland	OEL (8 hours ref) (ppm)	1000 ppm
Ireland	OEL (15 min ref) (mg/m3)	2250 mg/m³
Ireland	OEL (15 min ref) (ppm)	1250 ppm
United Kingdom	Local name	Liquefied petroleum gas
United Kingdom	WEL TWA (mg/m³)	1750 mg/m³
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	WEL STEL (mg/m³)	2180 mg/m³
United Kingdom	WEL STEL (ppm)	1250 ppm
United Kingdom	Remark (WEL)	Carc (Capable of causing cancer and/or heritable genetic damage. See paragraphs 49–51) (only applies if LPG contains more than 0.1% of buta-1,3-diene)

#### 8.2. Exposure controls

### Personal protective equipment:

Avoid all unnecessary exposure.

## Hand protection:

None necessary during normal handling and use.

### Eye protection:

None necessary during normal handling and use.

## Respiratory protection:

None necessary during normal handling and use.

#### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

: Colourless liquid. Appearance : Colourless. Colour Odour : characteristic. Odour threshold : No data available рΗ : No data available : No data available Relative evaporation rate (butylacetate=1) Melting point : No data available Freezing point : No data available

15/05/2019 EN (English) SDS Ref.: 1317 4/10

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: -2 - -45 °C for aerosol propellant Boiling point

: < -40 °C Flash point

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Extremely flammable aerosol.

Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Solubility : immiscible. Log Pow : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic Explosive properties : No data available : No data available Oxidising properties **Explosive limits** : No data available

Other information

: Discharge rate 1.7g/sec at 20degreesC. Net fill weight (for aerosols) 232g. Additional information

## **SECTION 10: Stability and reactivity**

#### Reactivity

The product is stable at normal handling and storage conditions.

#### **Chemical stability**

Extremely flammable aerosol.

#### Possibility of hazardous reactions

The product is stable at normal handling and storage conditions.

#### **Conditions to avoid**

Direct sunlight. Extremely high or low temperatures.

## **Incompatible materials**

Do not spray on naked flame or any incandescent material. Strong acids. Strong bases.

#### **Hazardous decomposition products**

Fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

### Information on toxicological effects

: Not classified Acute toxicity

Permethrin (52645-53-1)				
LD50 dermal rat	> 2000 mg/kg bodyweight			
d-Allethrin (231937-89-6)				
LD50 oral rat	1000 mg/kg			
LD50 dermal rat	> 2000 mg/kg			
LC50 inhalation rat (mg/l)	> 5.77 mg/l/4h	> 5.77 mg/l/4h		
Skin corrosion/irritation	: Not classified			
Additional information	: Repeated exposure may ca	use skin dryness or cracking.		
Serious eye damage/irritation	: Not classified			
Additional information	: Based on available data, th	e classification criteria are not met		
Respiratory or skin sensitisation	: Not classified			
Additional information	: Based on available data, th	e classification criteria are not met		
Germ cell mutagenicity	: Not classified			
	Based on available data, th	e classification criteria are not met		
Carcinogenicity	: Not classified			
Additional information	: Based on available data, th	e classification criteria are not met		
Reproductive toxicity	: Not classified			
Additional information	: Based on available data, th	e classification criteria are not met		
STOT-single exposure	: Not classified			
Additional information	: Based on available data, th	e classification criteria are not met		
15/05/2019	EN (English)	SDS Ref.: 1317	5/10	

EN (English) SDS Ref.: 1317

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

**CLOTHES MOTH KILLER SPRAY** 

Vaporizer Aerosol

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

Permethrin (52645-53-1)		
LC50 fish 1	0.0089 mg/l 96 hrs	
LC50 fish 2	0.145 mg/l 96 hrs	
EC50 Daphnia 1	0.02 mg/l 24 hrs	
ErC50 (algae)	> 0.011 mg/l 72 hrs	
d-Allethrin (231937-89-6)		
LC50 fish 1	0.0000708 g/l	
EC50 Daphnia 1	0.000061 g/l	

### 12.2. Persistence and degradability

CLOTHES MOTH KILLER SPRAY	
Persistence and degradability	May cause long-term adverse effects in the environment.

#### 12.3. Bioaccumulative potential

CLOTHES MOTH KILLER SPRAY	
Bioaccumulative potential	Not established.

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : This product is for amateur use and can be disposed of as normal household waste. However,

if used in a place of work, any product and empty container must be disposed of as controlled

waste

Ecology - waste materials : Avoid release to the environment.

#### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1.	UN number	
LINIAL	(ADD)	

 UN-No. (ADR)
 : 1950

 UN-No. (IMDG)
 : 1950

 UN-No. (IATA)
 : 1950

 UN-No. (ADN)
 : 1950

 UN-No. (RID)
 : 1950

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS
Proper Shipping Name (IMDG) : AEROSOLS
Proper Shipping Name (IATA) : Aerosols, flammable
Proper Shipping Name (ADN) : AEROSOLS
Proper Shipping Name (RID) : AEROSOLS

Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS

15/05/2019 EN (English) SDS Ref.: 1317 6/10

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS


Transport document description (IATA) : UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS

Transport document description (ADN) : UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS Transport document description (RID) : UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

#### 14.3. Transport hazard class(es)


#### **ADR**

Transport hazard class(es) (ADR) : 2.1
Danger labels (ADR) : 2.1,



#### **IMDG**

Transport hazard class(es) (IMDG) : 2.1
Danger labels (IMDG) : 2.1,




#### IATA

Transport hazard class(es) (IATA) : 2.1 Hazard labels (IATA) : 2.1,



## ADN

Transport hazard class(es) (ADN) : 2.1
Danger labels (ADN) : 2.1,



## RID

Transport hazard class(es) (RID) : 2.1
Danger labels (RID) : 2.1



## 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

15/05/2019 EN (English) SDS Ref.: 1317 7/10

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 14.5. **Environmental hazards**

: Yes Dangerous for the environment Marine pollutant : Yes

: No supplementary information available Other information

#### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : 5F

: 190, 327, 344, 625 Special provisions (ADR)

Limited quantities (ADR) : 11 Excepted quantities (ADR) : E0

: P207. LP02 Packing instructions (ADR) : PP87, RR6, L2 Special packing provisions (ADR)

Mixed packing provisions (ADR) : MP9 Transport category (ADR) : 2 Special provisions for carriage - Packages : V14 (ADR)

Special provisions for carriage - Loading, : CV9, CV12

unloading and handling (ADR)

Special provisions for carriage - Operation : S2

(ADR)

Tunnel restriction code (ADR) : D

#### - Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Limited quantities (IMDG) : SP277 Excepted quantities (IMDG) : E0 : P207, LP02 Packing instructions (IMDG)

Special packing provisions (IMDG) : PP87, L2 EmS-No. (Fire) : F-D EmS-No. (Spillage) : S-U Stowage category (IMDG) : None Stowage and handling (IMDG) : SW1, SW22 Segregation (IMDG) : SG69

## - Air transport

PCA Excepted quantities (IATA) : E0 PCA Limited quantities (IATA) : Y203 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 203 PCA max net quantity (IATA) : 75kg : 203 CAO packing instructions (IATA) CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

### - Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1 L Excepted quantities (ADN) : E0 Equipment required (ADN) : PP. EX. A Ventilation (ADN) : VE01, VE04

Number of blue cones/lights (ADN) : 1

#### - Rail transport

Classification code (RID) : 5F

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L

15/05/2019 SDS Ref.: 1317 EN (English) 8/10

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP02 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9
Transport category (RID) : 2
Special provisions for carriage – Packages : W14

(RID)

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW9, CW12

Colis express (express parcels) (RID) : CE2
Hazard identification number (RID) : 23

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Type of product (Biocide) 18 - Insecticides, acaricides and products to control other arthropods

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Indication of changes:

	Date of issue	Modified	
2.2	Precautionary statements (CLP)	Modified	

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aerosol 1	Aerosol, Category 1
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Flam. Gas 1	Flammable gases, Category 1
Muta. 1B	Germ cell mutagenicity, Category 1B
Press. Gas	Gases under pressure
Press. Gas (Liq.)	Gases under pressure : Liquefied gas
Skin Sens. 1	Skin sensitisation, Category 1
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.

15/05/2019 EN (English) SDS Ref.: 1317 9/10

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H332	Harmful if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH208	Contains Permethrin. May produce an allergic reaction.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

	•		5 5 ( ) L 1
	Aerosol 1	H222;H229	On basis of test data
	Aquatic Acute 1	H400	Annex VII conversion
	Aquatic Chronic 1	H410	Calculation method

RI - SDS EU (REACH Annex II) CLP

#### Before using any product, ensure that you read and understand its label.

The information contained in this safety data sheet is, to the best of our knowledge and belief, accurate and reliable at the time of publication. The information relates only to the specific material designated in this safety data sheet and may not be valid for such material if it is used in combination with any other material(s) or any other use than that specified herein. Neither Rentokil Initial plc nor any of its subsidiaries accepts any liability for the use of this product for any other purpose than that described in this safety data sheet. This does not affect your statutory rights. It is the user's responsibility to satisfy him/herself as to the suitability in completeness of such information for his/her own particular use.

Copyright © (2019) Rentokil Initial plc, Rentokil Initial Power Centre, Unit A1 & A2 Link 10, Napier Way, Crawley, RH10 9RA. United Kingdom.

Telephone: +44 (0) 1342 833022

15/05/2019 EN (English) SDS Ref.: 1317 10/10