

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**EVO-STIK WALL TILE GROUT WHITE** 

Supercedes Date: 28-Mar-2022

Revision date 20-Feb-2023 Revision Number 2.02

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name EVO-STIK WALL TILE GROUT WHITE

Pure substance/mixture Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Cement Sealant

Uses advised against None known

## 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

## 1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Specific target organ toxicity — single exposure	Category 3 - (H335)

#### 2.2. Label elements

Contains Cement Portland White



Signal word Danger

United Kingdom - BE Page 1 / 12

**EVO-STIK WALL TILE GROUT WHITE** 

Revision date 20-Feb-2023 Supercedes Date: 28-Mar-2022 Revision Number 2.02

#### **Hazard statements**

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H335 - May cause respiratory irritation.

#### **EU Specific Hazard Statements**

EUH208 - Contains 2-octyl-2H-isothiazol-3-one [OIT]. May produce an allergic reaction

#### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P260 - Do not breathe dust

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves and eve/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P362 + P364 - Take off contaminated clothing and wash it before reuse

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other hazards

Product dust may be irritating to eyes, skin and respiratory system. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Repeated exposure may cause skin dryness or cracking. Harmful to aquatic life.

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

#### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Cement Portland White	266-043-4	65997-15-1	40 - <80	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)	-	[5]
2-octyl-2H-isothiazol-3-o ne [OIT]	(613-112-00- 5) 247-761-7	26530-20-1	0.01 - <0.1	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Skin Corr. 1B	۸	-

United Kingdom - BE Page 2/12

EVO-STIK WALL TILE GROUT WHITE
Supercedes Date: 28-Mar-2022

Revision date 20-Feb-2023 Revision Number 2.02

	(H314)	
E	ye Dam 1	
	(H318)	
	n Sens. 1A	
	(H317)	
	atic Acute 1	
	(H400)	
	atic Chronic 1	
	(H410)	

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

#### Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**General advice** If medical advice is needed, have product container or label at hand.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur. IF exposed or

concerned: Get medical advice/attention.

Eye contact Do not rub affected area. Immediately flush with plenty of water. After initial flushing,

remove any contact lenses and continue flushing for at least 15 minutes. Consult an

ophthalmologist.

Skin contact Brush off loose particles from skin. Remove material from skin immediately. Take off

contaminated clothing and wash it before reuse.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

8).

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Causes serious eye damage. Irritating to skin. Inhalation of dust in

high concentration may cause irritation of respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g.

when kneeling in wet cement even when wearing trousers.

## 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

surrounding environment.

United Kingdom - BE Page 3 / 12

**EVO-STIK WALL TILE GROUT WHITE** 

Supercedes Date: 28-Mar-2022

Revision date 20-Feb-2023 Revision Number 2.02

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available.

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Use personal

protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Prevent product from entering drains. Do not allow to enter into soil/subsoil. **Environmental precautions** 

6.3. Methods and material for containment and cleaning up

**Methods for containment** Cover powder spill with plastic sheet or tarp to minimise spreading and keep powder dry.

Prevent dust cloud.

Methods for cleaning up Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect

dust. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep

up spilled material and place in suitable container. Avoid generating dust.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Avoid generation of dust. Avoid contact with skin, eyes or

clothing. Use personal protection equipment. Take off contaminated clothing and wash it

before reuse.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. **Storage Conditions** 

Keep out of the reach of children. Keep the packing dry and well sealed to prevent

contamination and absorption of humidity.

Recommended storage temperature

Keep at temperatures between 2 and 10 °C.

United Kingdom - BE Page 4/12

**EVO-STIK WALL TILE GROUT WHITE** 

Revision date 20-Feb-2023 Supercedes Date: 28-Mar-2022 Revision Number 2.02

#### 7.3. Specific end use(s)

Specific use(s) Sealant. Cement.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	United Kingdom
Cement Portland White	-	TWA: 10 mg/m <sup>3</sup>
65997-15-1		TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>
Dust	-	TWA: 10 mg/m <sup>3</sup>
RR-12364-8		TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration** (PNEC)

8.2. Exposure controls

Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be **Engineering controls** 

exhausted directly at the point of origin.

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield. Wear safety glasses with side

shields (or goggles). Eve protection must conform to standard EN 166.

Hand protection Gloves must conform to standard EN 374. Wear protective gloves. The breakthrough

time of the gloves depends on the material and the thickness as well as the temperature. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Gloves made of plastic or rubber. Gloves should be replaced regularly and if there is any

sign of damage to the glove material.

Wear appropriate personal protective clothing to prevent skin contact. Avoid contact with Skin and body protection

skin, eyes or clothing.

Avoid generation of dust. Ensure adequate ventilation, especially in confined areas. No Respiratory protection

protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Possible nuisance dust.

Recommended filter type: Particle filter device (DIN EN 143). with filter for particulates. Wear a respirator

conforming to EN 140 with Type P2/P3 filter or better.

**Environmental exposure controls** Do not allow into any sewer, on the ground or into any body of water.

#### SECTION 9: Physical and chemical properties

United Kingdom - BE Page 5/12

**EVO-STIK WALL TILE GROUT WHITE** 

Revision date 20-Feb-2023 Supercedes Date: 28-Mar-2022 Revision Number 2.02

9.1. Information on basic physical and chemical properties

Solid Physical state Powder **Appearance** Colour White Odourless. Odour

**Odour threshold** No information available

Property Values Remarks • Method

Melting point / freezing point Not applicable . Initial boiling point and boiling Not applicable .

range

**Flammability** No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

Lower flammability or explosive No data available

limits

Flash point Not applicable . °C

Autoignition temperature No data available None known

**Decomposition temperature** None known

No data available pH (as aqueous solution) 11 - 14 Kinematic viscosity Not applicable .

**Dvnamic viscosity** 

No data available. Cement based Water solubility None known

products react and solidify in contact

with water

Solubility(ies) No data available None known **Partition coefficient** No data available None known Vapour pressure No data available None known No data available Relative density None known

**Bulk Density** 1.1

Density 1.6 g/ml

Relative vapour density No data available None known

**Particle characteristics** 

50-1000 um **Particle Size** 

**Particle Size Distribution** No information available

9.2. Other information

Solid content (%) 100 **Softening Point** Not relevant

**VOC** content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available Not applicable .

## SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Product cures with moisture.

10.2. Chemical stability

Keep away from Incompatible materials. Stable under recommended storage conditions. Stability

**Explosion data** 

United Kingdom - BE Page 6/12

**EVO-STIK WALL TILE GROUT WHITE** 

Supercedes Date: 28-Mar-2022 Revision Number 2.02

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

**Conditions to avoid** Product cures with moisture.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents. Acids. Aluminium.

10.6. Hazardous decomposition products

**Hazardous decomposition** 

า

**SECTION 11: Toxicological information** 

None under normal use conditions. Stable under recommended storage conditions.

Revision date 20-Feb-2023

# products

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Information on likely routes of exposure

#### **Product Information**

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye

damage. May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. Causes skin irritation.

(based on components).

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

Acute toxicity

#### Numerical measures of toxicity

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Cement Portland White	>2000 mg/Kg	>2000 mg/Kg	-
2-octyl-2H-isothiazol-3-one	=125 mg/kg (Rattus)	= 690 mg/kg (Oryctolagus	-
[OIT]		cuniculus)	

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Classification based on data available for ingredients. Irritating to skin.

United Kingdom - BE Page 7 / 12

**EVO-STIK WALL TILE GROUT WHITE** 

Supercedes Date: 28-Mar-2022

Revision date 20-Feb-2023 Revision Number 2.02

2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Corrosive
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)

Method	Species	Exposure route	Results
	Mouse		sensitising
Sensitisation: Local Lymph Node	IN COSC		Constituting
Assav			

Germ cell mutagenicity Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

**STOT - single exposure** May cause respiratory irritation.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

## **SECTION 12: Ecological information**

12.1. Toxicity

**Ecotoxicity** Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
2-octvl-2H-isothiazol-3-	EC50(72h) =	LC50 (96h) =	-	EC50 (48h)	10	1

United Kingdom - BE Page 8 / 12

**EVO-STIK WALL TILE GROUT WHITE** 

Revision date 20-Feb-2023 Supercedes Date: 28-Mar-2022 Revision Number 2.02

one [OIT]	0.084 mg/L	0.036 mg/L	=0.42 mg/L	
26530-20-1	`	(Oncorhynchus mykiss) (OECD	(OECD 202)	
	(OECD 201)	203)		

#### 12.2. Persistence and degradability

Persistence and degradability No information available.

2-octyl-2H-isothiazol-3-one [OIT] (26530-20-1)

Method	Exposure time	Value	Results
OECD Test No. 309: Aerobic		Half-life 0.6-1.4 d	Readily biodegradable
Mineralization in Surface Water -			
Simulation Biodegradation Test			

#### 12.3. Bioaccumulative potential

#### **Bioaccumulation**

Component Information

	Chemical name	Partition coefficient
ľ	2-octyl-2H-isothiazol-3-one [OIT]	2.92

#### 12.4. Mobility in soil

No information available. Mobility in soil

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment	
2-octyl-2H-isothiazol-3-one [OIT]	The substance is not PBT / vPvB	

#### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

#### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

**European Waste Catalogue** 17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09

01, 17 09 02 and 17 09 03

10 13 06 particulates and dust (except 10 13 12 and 10 13 13)

Cured product can be treated as construction waste. In the management of larger quantities consult with local authorities and local waste disposal company

10 13 14 waste concrete and concrete sludge

United Kingdom - BE Page 9/12

**EVO-STIK WALL TILE GROUT WHITE** 

Revision date 20-Feb-2023 Supercedes Date: 28-Mar-2022 Revision Number 2.02

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1 UN number or ID number Not regulated Not regulated 14.2 Proper Shipping Name 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable 14.6 Special Provisions None

#### **IMDG**

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Marine pollutant NP

14.6 Special Provisions None

Not applicable 14.7 Maritime transport in bulk

according to IMO instruments

#### Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group 14.5 Environmental hazards Not applicable

14.6 Special Provisions None

## Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

United Kingdom - BE Page 10/12

**EVO-STIK WALL TILE GROUT WHITE** 

Revision date 20-Feb-2023 Supercedes Date: 28-Mar-2022 Revision Number 2.02

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

#### **Persistent Organic Pollutants**

Not applicable

#### **National regulations**

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

## Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H331 - Toxic if inhaled

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average) **STEL** STEL (Short Term Exposure Limit)

Ceiling Limit Value Ceiling Skin designation

**SVHC** Substance(s) of Very High Concern

Persistent, Bioaccumulative, and Toxic (PBT) Chemicals PBT vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

**EWC** European Waste Catalogue

European Agreement concerning the International Carriage of Dangerous Goods by **ADR** 

Road

**IMDG** International Maritime Dangerous Goods (IMDG) International Air Transport Association (IATA) IATA

RID Regulations concerning the International Transport of Dangerous Goods by Rail

#### Key literature references and sources for data

No information available

Product Safety & Regulatory Affairs **Prepared By** 

**Revision date** 20-Feb-2023

United Kingdom - BE Page 11/12

**EVO-STIK WALL TILE GROUT WHITE** 

Revision date 20-Feb-2023 Supercedes Date: 28-Mar-2022 **Revision Number** 2.02

Indication of changes

**Revision note** SDS sections updated, 2, 3, 4, 6, 7, 13, 15.

**Training Advice** No information available

**Further information** No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 12/12